





# INSTRUCTION SHEET

1. This closer features two mounting options. Before beginning, determine which type of mounting to your application or has been specified for the job, then be sure to use the proper template.
2. The voltage shown on the track cover plate must match voltage supplied to door frame ( 24V) If concealed wiring is desired, prepare the frame to specifications shown on the corresponding template ( pull side or push side) .if surface wiring is desired, be sure to mount track on frame before running any EMT / conduit.
3. Depending on mounting used, insert proper track plugs into side or top of the track. Using fasteners provided, mount track on frame to the dimensions of the template being used. Remove solenoid cover plate and make electrical connections ( See Pg. 2) . NOTE: Switch hole in cover plate MUST be aligned with test / release switch when re-attaching plate to track.
4. Before mounting closer, the spring power may need adjusting. Refer to the label on the closer spring tube. The 4040 SE comes preset as a size 3. This will control a door up to 38" wide. If door is wider than 38", adjust closer as shown ( see illustration below) up to 7 full turns. Starting the cover screws at this point is recommended. Using fasteners provided, mount closer on door to the dimensions of the template being used.
5. **ARM INSTALLATION:** Place arm spacer over top shaft of closer. Install arm as follows:  
**Push side mounting:** Place arm hub over top closer shaft, parallel with door. Place a wrench on bottom shaft of closer and rotate away from door. When flats in arm hub line up with the first available flats of the shaft, slide arm hub onto shaft. Insert shaft screw and tighten securely.  
**Pull side mounting:** Place arm hub over top closer shaft, parallel with door. Rotate arm away from door until flats in arm hub line up with first available flats of shaft. Slide arm hub onto closer shaft. Insert shaft screw and tighten securely.
6. Loosen the set screw in arm. Connect arm to track slider, and tighten set screw firmly.
7. To adjust hold-open position of door: Remove screw in the track slider and open door to desired position ( Top distance is 6" ) . Re-insert screw and tighten securely.
8. **REGULATION:** Do not allow door to slam into frame. A "normal" closing time from a 90° position is 5 to 7 seconds, evenly divided between MAIN and LATCH SPEED. If adjustments are needed, use a 3/32" hex wrench. To adjust MAIN SPEED, turn regulating screw ( see illustration) clockwise to slow speed or c.c.w. to increase speed. LATCH SPEED is adjusted in the same way. When adjusting BACKCHECK, use least amount necessary to retard swing of door sufficiently. To adjust BACKCHECK, turn regulating screw clockwise to increase the amount of force or c.c.w. to reduce the amount of force. **DO NOT USE AN ABRUPT BACKCHECK SETTING OR EXPECT THE DOOR CLOSER TO ACT AS A STOP!**
9. With regulation done, place snap on clip insert into proper cutout then snap cover assembly onto spring tube.





**HOLD OPEN FORCE ADJUSTMENT:**

Locate the track slider to the first screw hole in diagram above. For greater hold open force, use Phillips screwdriver to turn counter-clockwise. To decrease amount of hold open force, turn screw clockwise. Maximum of 2 turns

**ELECTRICAL CHECKOUT:**


1. With power on, open door completely. Door should remain in open position. If door does not stay open, check electrical input.
2. Push release test switch. Door should close immediately. Open the door to hold-open position and let it remain there.
3. System should be checked at frequent intervals. It is suggested that step 2 be repeated every 90 days.

**WARNING**

HAZARDOUS VOLTAGE CAN SHOCK AND CAUSE SEVERE INJURY

Disconnect power before making any electrical connections or performing maintenance.

**WIRING DIAGRAM-POLARITY NOT IMPORTANT**



**WARNING**




**HAZARDOUS VOLTAGE  
CAN SHOCK AND  
CAUSE SEVERE INJURY**


Disconnect power before making any electrical connections or performing maintenance.

**DOOR HOLDER SOLENOID DATA**

24 VAC - DC Nominal = 10% - 15% @ .090 Amp. Max.



**TEMPLATING FOR LEFT HAND DOOR**





**TEMPLATING FOR RIGHT HAND DOOR**

**Notes**

1. Voltage supplied to unit **MUST** match voltage shown on label.
2. If door is hung on pivots: Locate closer and track from pivot point of center pivot. For offset pivots, locate from pivot point and add 3/8".
3. Floor or wall stops should be used.
4. If this dimension is greater than 1 15/16", consult factory.
5. Reinforcing per ANSI\SDI-100 is recommended for hollow metal doors and frames.
6. If swing clear hinges are being used, consult factory.

## DOOR HOLDER SOLENOID DATA

24 VAC - DC Nominal = 10% - 15% @ .090 Amp.Max.




**WARNING**

**HAZARDOUS VOLTAGE CAN SHOCK AND CAUSE SEVERE INJURY**

Disconnect power before making any electrical connections or performing maintenance.

### TEMPLATING FOR RIGHT HAND DOOR



### TEMPLATING FOR LEFT HAND DOOR

#### NOTES

1. Voltage supplied to unit MUST match voltage shown on Sentronic label.
2. Locate closer and track from C of pivot or swing - clear hinge pin, if used.
3. Floor or wall stops should be used.
4. Reinforcing per ANSISDI-100 is recommended for hollow metal doors and frames.