

Notified Body No. 2812

## Certificate of Constancy of Performance

**2812-CPR-AG7972**

In compliance with *Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011* (the Construction Products Regulation or CPR), this certificate applies to the construction product:

**Cal-Royal Products Inc.  
EU6410 Mortice Deadlocks**

**See Annex A**

**Intended use: For use on fire/smoke compartmentation doors**

Essential characteristics	Performance	Harmonised Technical Specification
<b>Mechanical test evidence: WIL 329916, WIL 349888-2 &amp; WIL 430638</b> <b>Fire test evidence: WF 428615</b>		
Self-closing ability 5.4.2 Closing force	NPD	<b>EN 12209:2003 / AC:2005</b>
5.1.2 Return force of latch bolt	NPD	
Durability of self-closing action 5.3.1 Durability of latch action	NPD	
Ability to maintain the door in the closed position and not contribute to its spread of fire	Grade 1	
5.5 Suitability for use on fire/smoke doors	Grade 1: suitable for use on fire/smoke resistant door assemblies	
Control of dangerous substances 5.1.1 Dangerous substances	Pass: The materials in the lock do not contain or release any dangerous substances in excess of the maximum levels specified in existing European material standards or any national regulations (1)	

Notified Body No. 2812

## Certificate of Constancy of Performance

**2812-CPR-AG7972**

Placed on the Market under the Name of:

**Cal-Royal Products Inc.  
6605 Flotilla St. Commerce  
CA 90040  
USA**

and produced in the manufacturing plant:

**E013982-1**

**This is coded format, and the information is held by the Notified Body.**

This certificate attests that all provisions concerning the Assessment and Verification of Constancy of Performance described in Annex ZA of the standard(s):

**EN 12209:2003 / AC:2005**

Under System 1 for the performance set out in this certificate are applied and that the Factory Production Control conducted by the manufacturer is assessed to ensure the constancy of performance of the construction product.

This certificate was first issued on **17/11/2022** and reissued on **21/11/2025** and will remain valid as long as neither the harmonised standard, the Construction Product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, or unless suspended or withdrawn by the Notified Product Certification Body.

Valid to: **13/11/2027**

ERO Project Reference: **ERO 034621 P2599**



**Pascal Coget**  
General Manager – European Certification

CSF408-NL 8.0

Notified Body No. 2812

## Certificate of Constancy of Performance

2812-CPR-AG7972

### Annex A

Mortice Case Deadlocks			
Model No.	Description	Backset	Distance
EU6410/45/72	72mm Mortice Deadlock Square or Radiused Forend	45mm	72mm
EU6410/45/85	85mm Mortice Deadlock Square or Radiused Forend	45mm	85mm
EU6410/50/72	72mm Mortice Deadlock Square or Radiused Forend	50mm	72mm
EU6410/50/85	85mm Mortice Deadlock Square or Radiused Forend	50mm	85mm
EU6410/55/72	72mm Mortice Deadlock Square or Radiused Forend	55mm	72mm
EU6410/55/85	85mm Mortice Deadlock Square or Radiused Forend	55mm	85mm
EU6410/60/72	72mm Mortice Deadlock Square or Radiused Forend	60mm	72mm
EU6410/60/85	85mm Mortice Deadlock Square or Radiused Forend	60mm	85mm