

ALBR9860V ADA Series (Non-Fire Rated)

ALBRF9860V ADA Series (Fire Rated)

Vertical Rod Type Exit Device Less Bottom Rod - LBR

Push Bar Exit Device / ANSI A156.3 Grade 1, ADA, 3-Hour Rated, UL-Listed

Options: Alarm, Electrified



ILLUSTRATION	ITEM #	DESCRIPTION	FINISH
<p>LIFETIME WARRANTY</p> <p>BHMA CERTIFIED Be Safe. Be Secure. Look for the Mark.</p> <p>MEETS The Buy American Act</p> <p>Auxiliary Fire Latch included for fire-rated application</p> <p>ELR, RX, LX, RXLX and POWER SUPPLIES AVAILABLE See PAGES E44-E46</p>	NON-FIRE EXIT HARDWARE		
	***ALBR9810V2484	Surface vertical rod 24" X 84" *SH	US32D, US3, US10B
	***ALBR9870V3284	Surface vertical rod 32" X 84" *SH	
	***ALBR9860V3684	Surface vertical rod 36" X 84" *SH	
	***ALBR9890V3696	Surface vertical rod 36" X 96" *SH	
	***ALBR9850V36120	Surface vertical rod 36" X 120" *SH	
	***ALBR9880V4896	Surface vertical rod 48" X 96" *SH	
	***ALBR9840V48120	Surface vertical rod 48" X 120" *SH	
	FIRE EXIT HARDWARE RATED 3 HOURS (Includes thru-bolts)		
	ALBRF9810V2484	Surface vertical rod LBR 24" X 84" Includes thru-bolts & AUX Latch *SH	US32D, US3, US10B
	ALBRF9870V3284	Surface vertical rod LBR 32" X 84" Includes thru-bolts & AUX Latch *SH	
	ALBRF9860V3684	Surface vertical rod LBR 36" X 84" Includes thru-bolts & AUX Latch *SH	
	ALBRF9890V3696	Surface vertical rod LBR 36" X 96" Includes thru-bolts & AUX Latch *SH	
	ALBRF9880V4896	Surface vertical rod LBR 48" X 96" Includes thru-bolts & AUX Latch *SH	

***Standard Surface Vertical Rod is used for Less Bottom Rod in Installation

*SH Specify Left Hand Reverse (LHR) or Right Hand Reverse (RHR) for convenience. Easily field reversible.

ACCESSORIES	
AUXFL	Additional auxiliary latch (Raw finish)
AROD96	Top Rod for 96" high door (US32D finish)

❖ ❖ ❖ MUST ORDER TRIM SEPARATELY ❖ ❖ ❖

LBR FIRE-RATED DEVICES PACKAGING

- (10 pcs) Thru-Bolts for Fire-Rated Devices only.
- Packed with Auxiliary Fire Spring Latch to be installed 6" from the floor in the lower part of the door.
- 4 pcs per master carton

LBR NON-FIRE RATED DEVICES PACKAGING

- 4 pcs per master carton

ALARM AVAILABLE

- Alarm available on vertical rod exit devices. Prefix NALRM before PART#.

ANTI-MICROBIAL

- Available on US32D finish Only. Use part # ANTB-EXIT.

NON-STOCK FINISHES

- Availability subject to minimum quantity and lead-time. Consult factory.

▶ TRIMS & ACCESSORIES

All trims include 6-pin "C" keyway cylinder.

★ TRIMS AND ACCESSORIES ★						
ILLUSTRATION	ITEM #	DESCRIPTION	FINISH			
ROSE TRIMS (Non-Handed)						
	ENT00L	Clutch Entrance, key-locks / unlocks lever trim - operates as classroom function ANSI FUNCTION (08) <i>ENT00L US32D in stock</i> <i>ICENT00L US32D in stock</i>	US1, 3, 4, 10, 10B, 10BE,	US26		
	● ICENT00L (Best, Falcon SFIC) ● ICSCENT00L4 (Schlage LFIC)					
	● SARICENT00L (Sargent) ● RUSICENT00L (Corbin/Ruswin) ● YALICENT00L (Yale)		US26D	---		
	STR05L		Clutch Storeroom, key operates lever ANSI FUNCTION (09) <i>STR05L US32D in stock</i> <i>ICSTR05L US32D in stock</i>	US1, 3, 4, 10, 10B, 10BE,	US26	
	● ICSTR05L (Best, Falcon SFIC) ● ICSCSTR05L4 (Schlage LFIC)					
	● SARICSTR05L (Sargent) ● RUSICSTR05L (Corbin/Ruswin) ● YALICSTR05L (Yale)			US26D	---	
	PAS30L			Passage, lever always operable ANSI FUNCTION (14) <i>PAS30L US32D in stock</i>	US1, 3, 4, 10, 10B, 10BE,	US26
DUM40L	Dummy, lever trim. ANSI FUNCTION (02) <i>DUM40L US32D in stock</i>					
	TUBENT00L	Clutch Entrance, key operates lever ANSI FUNCTION (09)	US26D			
	● ICTUBENT00L (Best, Falcon SFIC)					
	TUBSTR05L		Clutch Storeroom, key operates lever ANSI FUNCTION (09)	US26D		
	TUBPAS30L		Passage, lever always operable ANSI FUNCTION (14)	US26D		
TUBDUM40L	Dummy, lever trim. ANSI FUNCTION (02)	US26D				
	ATENT00L	Clutch Entrance, key-locks / unlocks lever trim - operates as classroom function ANSI FUNCTION (08)	US26D			
	● ICATENT00L (Best, Falcon SFIC) ● ICSCATENT00L4 (Schlage LFIC) ● SARICATENT00L (Sargent) ● RUSICATENT00L (Corbin/Ruswin) ● YALICATENT00L (Yale)					
	ATSTR05L		Clutch Storeroom, key operates lever ANSI FUNCTION (09)	US26D		
	● ICATSTR05L (Best, Falcon SFIC) ● ICSCATSTR05L4 (Schlage LFIC) ● SARICATSTR05L (Sargent) ● RUSICATSTR05L (Corbin/Ruswin) ● YALICATSTR05L (Yale)					
	ATPAS30L			Passage, lever always operable ANSI FUNCTION (14)	US26D	
	ATDUM40L			Dummy, lever trim. ANSI FUNCTION (02)	US26D	
	ATDUM40L			Dummy, lever trim. ANSI FUNCTION (02)	US26D	
	ATPAS30L	Passage, lever always operable ANSI FUNCTION (14)	US26D			
	ATDUM40L	Dummy, lever trim. ANSI FUNCTION (02)	US26D			
	ATPAS30L	Passage, lever always operable ANSI FUNCTION (14)	US26D			
	ATDUM40L	Dummy, lever trim. ANSI FUNCTION (02)	US26D			
	ATDUM40L	Dummy, lever trim. ANSI FUNCTION (02)	US26D			
	AUGENT00L	for AUG, DAN, LON, TAC lever designs,				
	DANENT00L					
	LONENT00L					
	TACENT00L					
<p>For Other Designs: Replace "AT" with design name: "SPA", "AUG", "DAN", "LON" or "TAC" when ordering. For Example: ATENT00L with "TAC" design, will be "TACENT00L" *Note: Yale LFIC (YALIC) is only for "AT" and "SPA" lever designs.</p>						
	8000K	Ball knob key-lock, "C" keyway	US10B, US32D, US3			
For 2 1/4" thick door order part # TAIL1						

► TRIMS & ACCESSORIES

All trims include 6-pin "C" keyway cylinder. Other major manufacturers' keyways available. (See page E22)

★ TRIMS AND ACCESSORIES ★

ILLUSTRATION	ITEM #	DESCRIPTION	FINISH
ESCUTCHEON TRIMS (Non-Handed)			
	NESC9800	Rigid Entrance, key-locks or unlocks escutcheon trim - operates as classroom function ANSI FUNCTION (08)	US26
	●●● ICNESC9800 ●●● ICSCNESC9800		
	NESC9805	Rigid storeroom, key operates lever ANSI FUNCTION (09)	US3, 4, 10, 10B, 26D, 1
	●●● ICNESC9805 ●●● ICSCNESC9805		
	NESC9830	Passage, always operable and free ANSI FUNCTION (14)	US26
NESC9840	Dummy Escutcheon trim ANSI FUNCTION (02)	---	

	●●● ATEESC9800 ●●● ICATEESC9800 ●●● ICSCATEESC9800	Rigid Entrance, key-locks or unlocks escutcheon trim - operates as classroom function ANSI FUNCTION (08)	US3, 4, 10, 10B, 26D, 1	---
	●●● ATEESC9805 ●●● ICATEESC9805 ●●● ICSCATEESC9805	Rigid storeroom, key operates lever ANSI FUNCTION (09)		
	ATEESC9830	Passage, always operable and free ANSI FUNCTION (14)		
	ATEESC9840	Dummy Escutcheon trim ANSI FUNCTION (02)		

For Other Designs: Replace "AT" with design name: "RL", "TUB", "LON" or "TAC" when ordering. For Example: ATEESC9800 with "TAC" design, will be "TACEESC9800"

ELECTRIFIED LEVER TRIMS (Non-Handed)			
	●●● FS12NESC98 ●●● ICFS12NESC98 ●●● ICSCFS12NESC98	FAIL-SAFE (FS) OPTION 12V AC / DC US26D in stock	US26D, 10B, 3, 1
	●●● FS24NESC98 ●●● ICFS24NESC98 ●●● ICSCFS24NESC98	FAIL-SAFE (FS) OPTION 24V AC / DC US26D in stock	
	●●● FSE12NESC98 ●●● ICFSE12NESC98 ●●● ICSCFSE12NESC98	FAIL-SECURE (FSE) OPTION 12V AC / DC US26D in stock	
	●●● FSE24NESC98 ●●● ICFSE24NESC98 ●●● ICSCFSE24NESC98	FAIL-SECURE (FSE) OPTION 24V AC / DC US26D in stock	

For Other Designs: Insert "AT", "RL", "TUB", "LON" or "TAC" before ESC when ordering. For Example: FS12NESC98 with "TAC" design, will be "FS12TACEESC98"

For 2 1/4" thick door order part # **TAIL3**

- (IC) Indicates function available with Best, Falcon & Arrow Interchangeable Core.
- (ICSC) Indicates function available with Schlage Full Size Format Interchangeable Core.

***NOTE: LON & TAC designs: US26D, US10B, & US1 IN STOCK.**
Other finishes available with factory lead time and subject to minimum order quantity. Consult factory.

► TRIMS & ACCESSORIES

All trims include 6-pin "C" keyway cylinder. Other major manufacturers' keyways available. (See page E22)

★ TRIMS AND ACCESSORIES ★					
ILLUSTRATION	ITEM #	DESCRIPTION	FINISH		
ESCUTCHEON TRIMS (Non-Handed)					
	HDESC-00 ●●● ICDESC-00 ●●● ICSCDESC-00	Stainless Steel Clutch Entrance, key-locks or unlocks escutcheon trim - operates as classroom function ANSI FUNCTION (08)	US32D		
	HDTSESC-00 ●●● ICHDTSESC-00 ●●● ICSCHDTSESC-00				
	HDRLESC-00 ●●● ICHDRLESC-00 ●●● ICSCHDRLESC-00				
	HDESC-05 ●●● ICDESC-05 ●●● ICSCDESC-05	Stainless Steel Clutch Storeroom, key or unlocks lever, lever retracts latch bolt, otherwise always locked ANSI FUNCTION (09)			
	HDTSESC-05 ●●● ICHDTSESC-05 ●●● ICSCHDTSESC-05				
	HDRLESC-05 ●●● ICHDRLESC-05 ●●● ICSCHDRLESC-05				
	HDESC-30 HDTSESC-30 HDRLESC-30	Stainless Steel, Passage, always operable and free ANSI FUNCTION (14)			
	HDESC-40 HDTSESC-40 HDRLESC-40	Stainless Steel, Dummy Escutcheon trim ANSI FUNCTION (02)			
	ELECTRIFIED LEVER TRIMS (Non-Handed)				
		FS12HD or FS12TS or FS12RL ●●● ICFS12HD or ICFS12TS or ICFS12RL ●●● ICSCFS12HD or ICSCFS12TS or ●●● ICSCFS12RL		FAIL-SAFE (FS) OPTION 12V AC / DC	US32D
		FS24HD or FS24TS or FS24RL ●●● ICFS24HD or ICFS24TS or ICFS24RL ●●● ICSCFS24HD or ICSCFS24TS or ●●● ICSCFS24RL		FAIL-SAFE (FS) OPTION 24V AC / DC	
		FSE12HD or FSE12TS or FSE12RL ●●● ICFS12HD or ICFS12TS or ICFS12RL ●●● ICSCFSE12HD or ICSCFSE12TS or ●●● ICSCFSE12RL		FAIL-SECURE (FSE) OPTION 12V AC / DC	
		FSE24HD or FSE24TS or FSE24RL ●●● ICFS24HD or ICFS24TS or ICFS24RL ●●● ICSCFSE24HD or ICSCFSE24TS or ●●● ICSCFSE24RL		FAIL-SECURE (FSE) OPTION 24V AC / DC	

For 2 or 2 1/2" thick door use additional part# TAIL9

●●● (IC) Indicates function available with **Best, Falcon & Arrow Interchangeable Core.**
 ●●● (ICSC) Indicates function available with **Schlage Full Size Format Interchangeable Core.**

⌘
CONSULT FACTORY OR WEBSITE FOR TEMPLATES ON ALL EXIT DEVICES AND TRIMS

► TRIMS & ACCESSORIES

All trims include 6-pin "C" keyway cylinder. Other major manufacturers' keyways available. (See page E22)

★ TRIMS AND ACCESSORIES ★			
ILLUSTRATION	ITEM #	DESCRIPTION	FINISH
THUMB PIECE TRIMS (Non-Handed)			
	98TP-00 ●●● IC98TP00 ●●● ICSC98TP00	Entrance, key-locks or unlocks thumb piece - operates as classroom function ANSI FUNCTION (05)	US10, 10B, 32D, 3, 4
	98TP-05 ●●● IC98TP05 ●●● ICSC98TP05	Storeroom, always locked ANSI FUNCTION (06)	
	98TP-30	Passage trim, always operable and free ANSI FUNCTION (15)	
	98TP-40	Dummy NESC trim ANSI FUNCTION (02)	
For 2 1/4" thick door order part # TAIL7			
PULL TRIMS (Non-Handed)			
	9800NL ●●● IC9800NL ●●● ICSC9800NL	To be used with rim panic exit device. Pull & rim cylinder, key retracts latch bolt ANSI FUNCTION (03)	US10, 10B, 32D, 3, 4 US26, 26D
	9800DTP	Dummy trim (Pull) ANSI FUNCTION (02)	US10, 10B, 32D, 3, 4
	9800EOP	Cover plate (blank plate) ANSI FUNCTION (01)	
HEAVY DUTY KEYLESS LOCK			
	CRCODE007L	Heavy Duty Clutch Keyless Digital Lock to be used for 6600 / 7700 / 9800 Series Rim Exit Devices only. Available with major manufacturer's keyway, see page E22. (Specify handing when ordering).	US26D EACH Must order exit device from stock. Prefix DL before PART# of exit device
	CRCODE007R		
	CRCODE101	Heavy Duty Rigid Keyless Mechanical Lock to be used for 6600 / 7700 / 9800 Series Rim and Surface Vertical Rod Exit Devices. Non-Handed. Available with other major manufacturer's keyway, see page E22.	
	CR4000	Trilogy © Exit Device Trims for 9800 Series Rim Exit Devices Only. (**Note - IC includes CYLINDER ADAPTER KIT for Best, Falcon & Arrow Interchangeable Core) IC CORE ADD \$81.90 List. Excludes Rim Cylinder Housing and Core.	US26D US10B
	ICCR4000		
	CRCODE204	Heavy Duty Keyless Mechanical Lock with breakaway lever used for 6600 / 7700 / 9800 / 2200 Series Rim and Surface Vertical Rod Exit Devices. Non-Handed. Available with other major manufacturer's keyway, see page E22. Door Thickness: 1 3/4" - 2"	US26D



CONSULT FACTORY OR WEBSITE FOR TEMPLATES ON ALL EXIT DEVICES AND TRIMS

► TRIMS & ACCESSORIES

All trims include 6-pin "C" keyway cylinder. Other major manufacturers' keyways available. (See page E22)

★ TRIMS AND ACCESSORIES ★			
ITEM #	DESCRIPTION	FINISH	UNIT
36CD9800 ● IC36CD9800 ● ICSC36CD9800	Cylinder dogging kit for non-fire rated 36" exit Devices	US3, 10B, 32D	Each
48CD9800 ● IC48CD9800 ● ICSC48CD9800	Cylinder dogging kit for non-fire rated 48" exit Devices		
36ALARM98 ● IC36ALARM98 ● ICSC36ALARM98	Alarm kit for 36" A9800 Series Rim and Vertical Rod Exit Device	US3, 10B, 32D, 4	
48ALARM98 ● IC48ALARM98 ● ICSC48ALARM98	Alarm kit for 48" A9800 Series Rim and Vertical Rod Exit Device	US3, 10B, 32D	
NVALARM36 ● ICNVALARM36 ● ICSCNVALARM36	Alarm kit with micro switch for 36" Vertical Rod Exit Device	US10B, 32D, ALUM, DURO, GOLD	
NVALARM48 ● ICNVALARM48 ● ICSCNVALARM48	Alarm kit with micro switch for 48" Vertical Rod Exit Device	US10B, 32D, ALUM, DURO	
DOGGINGKIT	Standard Dogging Assembly Kit with allen wrench		
RIM238	Rim strike for 2 3/8" backset	NYLON BLACK COATED	
221	Bottom strike, non-fire vertical rod device	NYLON BLACK COATED	
239	Surface applied strike, rim non-fire		
245	Surface applied strike, rim fire and top strike fire rated vertical rod device		
N251	Overlapping strike		
357	Thru-bolts for rim fire and panic grade 1 3/4" door (6 pcs)		
363	Thru-bolts for rim fire and panic grade 2 1/4" door (6 pcs)		
369	Thru-bolts for vertical rod fire and panic grade to be used with trim 1 3/4" door (14 pcs)		
375	Thru-bolts for vertical rod fire and panic grade to be used with trim 2 1/4" door (14 pcs)		
801	Rim shim kit 1/8" (Thick)		
806	Panic vertical rod shim kit 1/8" (Thick)		
812	Fire rated vertical rod shim kit 1/8" (Thick)		
LFF	Lock front filler (Zinc plated)		
SF	Strike filler (Zinc plated)		
CUT CHARGE	Labor for cutting exit devices to size (applicable to all Series)		
ANTB-TRIM	Anti-Microbial Coating on Exit Device Trims in US26D or US32D only		
● (IC) Indicates function available with Best, Falcon & Arrow Interchangeable Core. ● (ICSC) Indicates function available with Schlage Full Size Format Interchangeable Core.			



CONSULT FACTORY OR WEBSITE FOR TEMPLATES ON ALL EXIT DEVICES AND TRIMS

► TRIMS & ACCESSORIES

★ TRIMS AND ACCESSORIES ★			
ITEM #	DESCRIPTION	FINISHES	UNIT
ROD GUIDE	Rod guides for vertical rods	ALUM, DURO, GOLD, US32D, 3, 10B, 10, 4	Each
ROD96	Top rod for 96" doors for 9800 and 2200 Series exit devices	ALUM, DURO, GOLD	
		US32D, 3, 10B, 10, 4, L1 (BLACK)	
VRRD10	Vertical rod for 10' doors	ALUM, DURO, GOLD	
		US32D, 3, 10B, 10, 4, L1 (BLACK)	
CHABOT22	2200 Series bottom latch assembly with cover Non-Fire Rated	ALUM, DURO, GOLD	
CHABOT22F	2200 Series bottom latch assembly with cover Fire Rated	ALUM, DURO, GOLD	
CHATOP22	2200 Series top latch assembly with cover Non-Fire Rated	ALUM, DURO, GOLD	
CHATOP22F	2200 Series top latch assembly with cover Fire Rated	ALUM, DURO, GOLD	
CHABOT98	9800 Series bottom latch assembly with cover Non-Fire Rated	US32D, 3, 10B, 10, 4	
CHABOT98F	9800 Series bottom latch assembly with cover Fire Rated	US32D, 3, 10B, 10, 4	
CHATOP98	9800 Series top latch assembly with cover Non-Fire Rated	US32D, 3, 10B, 10, 4	
CHATOP98F	9800 Series top latch assembly with cover Fire Rated	US32D, 3, 10B, 10, 4	
227	Top strike, non-fire vertical rod device	NYLON BLACK COATED	
233	Alternate flush mounting bottom strike. Standard for fire rated vertical rod		
945	ADA Roller Strike for A2200 and A9800 Non-Fire Rated Rim Exit Devices. Surface applied.		
945F	ADA Roller Strike for A2200 and A9800 Fire Rated Rim and Surface Vertical Rod Exit Devices. Surface applied.		
HCV2200	Head cover for A2200 Surface Vertical Rod Exit Devices	ALUM, DURO, GOLD	
HCV9800	Head cover for A9800 Surface Vertical Rod Exit Devices	US32D, 3, 10B, 10, 4	



CONSULT FACTORY OR WEBSITE FOR TEMPLATES ON ALL EXIT DEVICES AND TRIMS

◆ OTHER KEYWAYS

Available for ENT00L, STR05L, CRCODE007, CRCODE101, CRCODE204
 NES9800, NES9805, 98TP00, 98TP05, 9800NL, 36CD9800, 48CD9800,
 36ALARM98, CR4000, 48ALARM98, NVALARM36, NVALARM48

Schlage C-K, Russwin D1,D2,D3, Corbin 60, Sargent LA-LB-LC,
 Falcon / Weiser E, Corbin-Russwin L4, Arrow A, Yale 8, Yale GA,
 Kwikset