

TABLE OF CONTENTS

I. COMMERCIAL HINGES

HEAVY WEIGHT

Four Ball Bearings (5" x 5", 5" x 4 1/2", 5" x 4", 4 1/2" x 4 1/2", 4 1/2" x 4")..... H1

STANDARD WEIGHT

Two Ball Bearings (5" x 5", 5" x 4 1/2" 5" x 4", 4 1/2" x 4 1/2", 4 1/2" x 4")..... H1-H2
 Plain Bearing (5" x 5" 4 1/2" x 4 1/2", 4 1/2" x 4", 4" x 4")..... H2-H3

II. MADE IN TAIWAN HINGES THAT MEETS THE BUY AMERICAN ACT

HEAVY WEIGHT

Four Ball Bearing (4 1/2" x 4 1/2")..... H2

STANDARD WEIGHT

Two Ball Bearings (4 1/2" x 4 1/2", 5" x 4 1/2")..... H2

III. SOLID BRASS HINGES

HEAVY WEIGHT

Four Ball Bearing (4 1/2" x 4 1/2")..... H4

STANDARD WEIGHT

Plain Bearing (3 1/2" x 3 1/2", 3" x 3", 4 1/2" x 4 1/2", 4" x 4")..... H4
 Two Ball Bearing (4 1/2" x 4 1/2")..... H4

IV. DECORATIVE TIPS HINGES

EXTRUDED SOLID BRASS HINGES

Acorn Tip..... H8
 Ball Tip..... H8
 Steeple Tip..... H8
 Urn Tip..... H8

STEEL PLATED COMMERCIAL HINGES

Ball Tip (3 1/2" x 3 1/2", 3" x 3", 4 1/2" x 4 1/2", 4" x 4", 5" x 5")..... H3-H4
 Steeple Tip (3 1/2" x 3 1/2", 3" x 3", 4 1/2" x 4 1/2", 4" x 4", 5" x 5")..... H4

STEEL PLATED RESIDENTIAL HINGES

Ball Tip (3 1/2" x 3 1/2", 4" x 4")..... H11
 Steeple Tip (3 1/2" x 3 1/2", 4" x 4")..... H11

V. SPECIALTY HINGES

Concealed Ball Bearings (4 1/2" x 4 1/2", 5" x 5")..... H4
 Full Surface (4 1/2")..... H5
 Half Mortise (4 1/2")..... H5
 Half Surface (4 1/2")..... H5
 Hospital Tip Hinges (4 1/2" x 4 1/2"), (5" x 4 1/2")..... H5
 Swing Clear Hinges (3 1/2" x 3 1/2", 4 1/2" x 4 1/2", 4" x 4")..... H5
 Wide Throw Hinges (4 1/2" x 6")..... H5

VI. ELECTRIFIED HINGES

Two Ball Bearings (4 1/2" x 4 1/2")..... H6
 Four Ball Bearings (4 1/2" x 4 1/2", 5" x 4 1/2")..... H6
 Concealed Ball Bearing (4 1/2" x 4 1/2")..... H6

VII. SPRING HINGES

Standard Weight (4 1/2" x 4 1/2", 4 1/2" x 4")..... H6
 Round Corner, .110"Gauge (4" x 4")..... H7
 Benchmark, Round Corner, .110"Gauge (4" x 4")..... H7
 New Spring Hinges (3 1/2" x 3 1/2", 4" x 4")..... H7

VIII. CASTLEGATE COMBINATION HINGES

Corner Spring Hinges (5/8")..... H7
 Corner Hinges (5/8")..... H10

IX. EXTRUDED SOLID BRASS HINGES

Two Ball Bearings (3 1/2" x 3 1/2", 4 1/2" x 4 1/2", 4" x 4")... H7-H8
 Plain Ball Bearing (3 1/2" x 3 1/2", 4 1/2" x 4 1/2", 4" x 4")... H8

X. RESIDENTIAL HINGES

RESIDENTIAL WEIGHT

Plain Bearing-Template (3 1/2" x 3 1/2", 4" x 4")..... H8
 Two Ball Bearings (3 1/2" x 3 1/2", 4" x 4")..... H8-H9
 Plain Bearing (3 1/2" x 3 1/2", 4" x 4")..... H9-H10
 Benchmark, Round Corner (5/8")..... H10
 Plain Bearing, Stainless Steel Square Corner (3 1/2" x 3 1/2", 3" x 3", 4" x 4")..... H11

XI. SOLID BRASS PARLIAMENT HINGES

3" x 2 1/4"..... H11
 4 5/8" x 2 1/2"..... H11
 4" x 2 1/2"..... H11

XII. REINFORCING PIVOT HINGES

Full Surface (4 1/2")..... H11

XIII. CABINET HINGES

2 1/2" x 1 11/16"..... H11
 2" x 1 1/2"..... H11




XIV. HINGE SCREWS

Steel Screws for Contract Grade Size 4", 4.5", 5"..... H12
 Steel Screws for Residential Hinges (4" x 4", 3 1/2" x 3 1/2")..... H12
 Steel Screws for TBHRC33 and TBHRC45, 4" x 4", 3 1/2" x 3 1/2" Timely Hinges, 4" x 4" and 3 1/2" x 3 1/2"
 Spring Hinges, 3 1/2" x 3 1/2" Contract Grade Hinges..... H12

XV. GEARED ALUMINUM CONTINUOUS HINGES

Concealed Leaf (83", 95")..... H13
 Full Surface (83", 95")..... H13
 Half Surface (83", 95")..... H13
 Additional Heavy Duty Channel Cover (83", 95")..... H14
 Electrification (83", 95")..... H14

All hinges shown are stock items for immediate shipment.					ITEM#	SIZE	FINISH	BOX QTY	CASE QTY
All hinges are stamped with CRP logo. Finishes in <i>REVERSE BOLD ITALICS</i> are also available w/o logo. Prefix "UN" when ordering.					STANDARD WEIGHT, BALL BEARING HINGES				
					Full Mortise, Standard Weight, Two Ball Bearings				
NOTES • All hinges are sold with a minimum order quantity (MOQ) equal to or exactly divisible by the inner box quantity. • N.R.P. (Non-Removable Pin) where not shown • N.R.P for US32D					RCBB31	4 1/2" x 4 1/2" 1/4" Radius	US26DNRP US10BNRP US32DNRP	3	48
					BB55	5" x 5"	US26D US26DNRP US3 US4 US26 US10 US10B US32D	3	48
HEAVY WEIGHT, BALL BEARING HINGES					Full Mortise, Heavy Weight, Four Ball Bearings				
BB5500	5" x 5"	US26DNRP US32D US32DNRP US10B US10BNRP	3	48	BB545	5" x 4 1/2"	USP US26D US26DNRP US26 US4 US10 US10A US10B US3 US32D US32DNRP	3	48
BB5210	5" x 4 1/2"	USP US26D US26DNRP US10 US10A US10B US10BNRP US3 US4 US26 US32D US32DNRP	3	48	BB54	5" x 4"	USP US26D US10A US3 US32D	3	48
BB5254	5" x 4"	USP US26D US10A US10B US32D	3	48	BB31	4 1/2" x 4 1/2"	USP USPNRP US26D US26DNRP US10A US10ANRP US10B US10BNRP US10 US10NRP US15A US15 US15NRP US4 US4NRP US3 US3NRP US5 US26 US26NRP DURO US1 US1NRP US32D US32DNRP	3	48
BB5200	4 1/2" x 4 1/2"	USP US26DNRP US10A US10B US10BNRP US10 US4 US3 US26 US32DNRP	3	48	• Other sizes and finishes available up to 8" x 8" upon request. All hinges above are steel base material with the exception of US32D (STAINLESS STEEL). • For solid brass base, prefix "SB" before PART # • Availability on application. (Subject to lead time and quantity)				
BB52454	4 1/2" x 4"	USP US26D US26DNRP US10A US4 US3 US26 US32D US32DNRP	3	48					






All hinges shown are stock items for immediate shipment.

All hinges are stamped with CRP logo. Finishes in ***REVERSE BOLD ITALICS*** are also available w/o logo. Prefix "**UN**" when ordering.

NOTES

- All hinges are sold with a minimum order quantity (MOQ) equal to or exactly divisible by the inner box quantity.
- N.R.P.** (Non-Removable Pin) where not shown
- N.R.P.** for **US32D**

ITEM#	SIZE	FINISH	BOX QTY	CASE QTY
STANDARD WEIGHT, BALL BEARING HINGES				
Full Mortise, Standard Weight, Two Ball Bearings				
BB454	4 1/2" x 4"	USP US26D US26DNRP US10A US10B US4 US3 US26 US32D US1 US1BLKNRP US32DNRP	3	48
BBSC56	4" x 4"	USP US1 US26D US10 US10A US15A US10B US15 US4 US3 US5 US26 US32D	3	48
RCBB454	4 1/2" x 4" 1/8" Radius	US1BNRP US26DNRP	3	48
BBRC45	4" x 4" 1/4" Radius Template	USP US1 US26D US26DNRP US10 US10A US10ANRP US15A US10B US10BNRP US15 US15NRP US4 US3 US5 US26 US32D DURO	3	48
BBRC5844	4" x 4" 5/8" Radius Non Template	US26D US15A US10B US15 US4 US3 US26	3	48

ITEM#	SIZE	FINISH	BOX QTY	CASE QTY
STANDARD WEIGHT, BALL BEARING HINGES				
Full Mortise, Standard Weight, Two Ball Bearings				
BBSC77	3 1/2" x 3 1/2"	USP US26D US10A US10B US4 US5 US3 US32D	2	100
BBRC5835	3 1/2" x 3 1/2" 5/8" Radius	US26D	2	100
BBSC33	3" x 3"	US32D	2	100
<ul style="list-style-type: none"> Other sizes and finishes available up to 6" x 6" upon request. All hinges above are steel base material with the exception of US32D (STAINLESS STEEL). For solid brass base, prefix "SB" before PART # Availability on application. (Subject to lead time and quantity) 				
Made In TAIWAN Hinges That Meets THE BUY AMERICAN ACT				
Full Mortise, Standard Weight, Two Ball Bearings				
TABB31	4 1/2" x 4 1/2"	US26D US26DNRP US32DNRP	3	48
		<div style="border: 1px solid black; padding: 5px; text-align: center;"> MADE IN TAIWAN HINGES <i>That meet</i> THE BUY AMERICAN ACT </div>		
TABB545	5" x 4 1/2"	US26D US32D	3	48
Full Mortise, Heavy Weight, Four Ball Bearings				
TABB5200	4 1/2" x 4 1/2"	US26DNRP US32DNRP	3	48
		<div style="border: 1px solid black; padding: 5px; text-align: center;"> MADE IN TAIWAN HINGES <i>That meet</i> THE BUY AMERICAN ACT </div>		
STANDARD WEIGHT, PLAIN BEARING HINGES				
Full Mortise, Standard Weight, Plain Bearing				
TBH55	5" x 5"	US3 US4 US10 US10B US26 US26D US32D	3	48
TBH30	4 1/2" x 4 1/2"	USP USPNRP US26D US26DNRP US10A US10B US15A US15 US15NRP US10 US5 US4 US3 US26 DURO US32D US32DNRP	3	48
				

All hinges shown are stock items for immediate shipment.

All hinges are stamped with CRP logo. Finishes in **REVERSE BOLD ITALICS** are also available w/o logo. Prefix "UN" when ordering.

NOTES

- All hinges are sold with a minimum order quantity (MOQ) equal to or exactly divisible by the inner box quantity.
- **N.R.P.** (Non-Removable Pin) where not shown
- **N.R.P** for **US32D**

ITEM#	SIZE	FINISH	BOX QTY	CASE QTY
STANDARD WEIGHT, PLAIN BEARING HINGES				
Full Mortise, Standard Weight, Plain Bearing				
TBH454	4 1/2" x 4"	US26D US10A US10 US4 US3 US26 US32D	3	48
TBHSC55	4" x 4"	USP US1 US26D US26DNRP US10 US10A US15A US10B US10BNRP US15 US4 US3 US5 US26 US32D US32DNRP	3	48
TBHRC44	4" x 4" 1/4" Radius	USP US1 US26D US26DNRP US10 US10A US10B US10BNRP US15A US15 US15NRP US4 US3 US5 US26 DURO	3	48
TBHRC5844	4" x 4" 5/8" Radius	US3	3	48

ITEM#	SIZE	FINISH	BOX QTY	CASE QTY
STANDARD WEIGHT PLAIN BEARING HINGES				
Full Mortise, Standard Weight, Plain Bearing				
TBHSC77	3 1/2" x 3 1/2"	USP US1 US26D US10A US15A US10B US15 US4 US3 US5 US26 US10 US32D US32DNRP	2	100
TBHRC66	3 1/2" x 3 1/2" 1/4" Radius	USP US1 US26D US10A US10B US15 US15A US4 US3 US5 US26	2	100
TBHSC33	3" x 3"	US26D US10A US10B US15 US15A US26 US3 US32D	2	100
<ul style="list-style-type: none"> • Other sizes and finishes available up to 6" x 6" upon request. All hinges above are steel base material with the exception of US32D (STAINLESS STEEL). • For solid brass base, prefix "SB" before PART # • Availability on application. (Subject to lead time and quantity) 				
DECORATIVE TIPS FOR STEEL PLATED COMMERCIAL HINGES				
BALL TIP			INCLUDES: 1 PIN & 2 TIPS	
BALL33KIT	Ball Tip Commercial 3" x 3"	US3 US5 US10B US15 US15A US26 US26D	2	100
BALL35KIT	Ball Tip Commercial 3 1/2" x 3 1/2"	US3 US5 US10B US15 US15A US26 US26D	2	100


All hinges shown are stock items for immediate shipment.

All hinges are stamped with CRP logo. Finishes in ***REVERSE BOLD ITALICS*** are also available w/o logo. Prefix "UN" when ordering.

NOTES

- All hinges are sold with a minimum order quantity (MOQ) equal to or exactly divisible by the inner box quantity.
- **N.R.P.** (Non-Removable Pin) where not shown
- **N.R.P** for US32D

ITEM#	SIZE	FINISH	BOX QTY	CASE QTY
DECORATIVE TIPS FOR STEEL PLATED COMMERCIAL HINGES				
BALL TIP			INCLUDES: 1 PIN & 2 TIPS	
BALL44KIT	Ball Tip Commercial 4" x 4"	US3 US5 US10B	2	100
	TBHRC44, TBHSC55, BBSC56, BBRC45, BRC5844	US15 US15A US26 US26D		
BALL45KIT	Ball Tip Commercial 4 1/2" x 4 1/2"	US3 US5 US10B	2	100
	TBH30, TBH454, BB31, BB454	US15 US15A US26 US26D		
BALL55KIT	Ball Tip Commercial 5" x 5"	US3 US5 US10B	2	100
	BB-55	US15 US15A US26 US26D		
STEEPLE TIP			INCLUDES: 1 PIN & 2 TIPS	
STP33KIT	Steeple Tip Commercial 3" x 3"	US3 US5 US10B	2	100
	TBHSC33 & BBSC33	US15 US15A US26 US26D		
STP35KIT	Steeple Tip Commercial 3 1/2" x 3 1/2"	US3 US5 US10B	2	100
	TBHSC77, TBHRC66, BBSC77	US15 US15A US26 US26D		
STP44KIT	Steeple Tip Commercial 4" x 4"	US3 US5 US10B	2	100
	TBHRC44, TBHSC55, BBSC56, BBRC45, BBRC5844	US15 US15A US26 US26D		
STP45KIT	Steeple Tip Commercial 4 1/2" x 4 1/2"	US3 US5 US10B	2	100
	THB30, TBH454, BB31, BB454	US15 US15A US26 US26D		

ITEM#	SIZE	FINISH	BOX QTY	CASE QTY
DECORATIVE TIPS FOR STEEL PLATED COMMERCIAL HINGES				
STEEPLE TIP			INCLUDES: 1 PIN & 2 TIPS	
STP55KIT	Steeple Tip Commercial 5" x 5"	US3 US5 US10B US15 US15A US26 US26D	2	100
SOLID BRASS HINGES				
Full Mortise, Standard Weight, Plain Bearing				
SBTBH30	4 1/2" x 4 1/2"	US3 US26D	3	48
Two Ball Bearings, Full Mortise, Standard Weight				
SBBB31	4 1/2" x 4 1/2"	US26D US10A US10ANRP US10B US10BNRP US3 US26 US4	3	48
Four Ball Bearings, Full Mortise, Heavy Weight				
SBBB5200	4 1/2" x 4 1/2"	US10A US10B US10BNRP	3	48
<ul style="list-style-type: none"> • Other sizes and finishes available. • Availability on application. (SUBJECT TO LEAD TIME AND QUANTITY) 				
SPECIALTY HINGES				
CONCEALED BALL BEARING				
Full Mortise, Standard Weight, Concealed Ball Bearing Hinges				
BB2255	5" x 5"	US26D US10A US10B US32D	3	48
BB2200	4 1/2" x 4 1/2"	US26D US4 US10 US10A US10B US15 US3 US26 US26DNRP US32D	3	48
				
Full Mortise, Heavy Weight, Concealed Ball Bearing Hinges				
BB7755	5" x 5"	US26D US10A US10B US32D	3	48
BB3300	4 1/2" x 4 1/2"	US26DNRP US10ANRP US10B US3NRP US26NRP US32D US32DNRP	3	48
<ul style="list-style-type: none"> • Other sizes and finishes available up to 5" x 5" upon request. All hinges above are steel base material with the exception of US32D (STAINLESS STEEL). • For solid brass base, prefix "SB" before PART # • Availability on application. (Subject to lead time and quantity) 				

All hinges shown are stock items for immediate shipment.






All hinges are stamped with CRP logo. Finishes in **REVERSE BOLD ITALICS** are also available w/o logo. Prefix "UN" when ordering.

NOTES

- All hinges are sold with a minimum order quantity (MOQ) equal to or exactly divisible by the inner box quantity.
- **N.R.P.** (Non-Removable Pin) where not shown
- **N.R.P.** for US32D

ITEM#	SIZE	FINISH	BOX QTY	CASE QTY
SPECIALTY HINGES				
SWING CLEAR HINGES				
Full Mortise, Standard Weight, Two Ball Bearings, Swing Clear				
BB350	3 1/2" x 3 1/2"	US15 US26D US3 US10B US26 US4	2	50
BB35058	3 1/2" x 3 1/2" 5/8" Radius	US15 US26D US3 US10B US26 US4	2	50
BB400	4" x 4"	US15 US26D US3 US10B US26 US4	2	50
BB40058	4" x 4" 5/8" Radius	US15 US26D US3 US10B US26 US4	2	50
BB600	4 1/2" x 4 1/2"	USP US26D US10A US32DNRP	3	48
Full Mortise, Heavy Weight, Four Ball Bearings, Swing Clear				
BB800	4 1/2" x 4 1/2"	US26D US32D	3	48

** 5" Swing Clear, Heavy Weight Ball Bearing 4 1/2", 5".
 ** 5" Half Mortise, Heavy Weight Ball Bearing Swing Clear.
 ** 5" Full Surface, Heavy Weight Ball Bearing Swing Clear.
 ** 5" Half Surface, Heavy Weight Ball Bearing Swing Clear.
 ***** All of above available for Beveled door upon request. *****
(SUBJECT TO LEAD TIME AND QUANTITY)

ITEM#	SIZE	FINISH	BOX QTY	CASE QTY
SPECIALTY HINGES				
HOSPITAL TIP HINGES				
Full Mortise, Standard Weight, Two Ball Bearings				
HOSBB31	4 1/2" x 4 1/2" 0.134" Gauge	US26DNRP US32DNRP	3	48
Full Mortise, Heavy Weight, Four Ball Bearings				
HOSBB5200	4 1/2" x 4 1/2" 0.180" Gauge	US26DNRP US32DNRP	3	48
HOSBB5210	5" x 4 1/2" 0.190" Gauge	US26DNRP	3	48
				
HALF MORTISE				
Half Mortise, Standard Weight, Two Ball Bearings				
HMBB4100	4 1/2"	USPNRP US26DNRP US10A	3	36
				
** Half Mortise, Heavy Weight Ball Bearing 4 1/2", 5" available upon request. (Subject to lead time and quantity)				
HALF SURFACE				
Half Surface, Standard Weight, Two Ball Bearings				
HSBB4900	4 1/2"	USPNRP US26DNRP US10ANRP	3	36
				
**5" and Half Surface, Heavy Weight Ball Bearing 4 1/2", 5" available upon request. (Subject to lead time and quantity)				
FULL SURFACE				
Full Surface, Standard Weight, Five Knuckle Ball Bearing Hinge With Non-Removable Pin				
FSHBB45	4 1/2"	USPNRP	2	24
				
WIDE THROW HINGES				
Full Mortise, Standard Weight, Two Ball Bearings				
WTHBB456	4 1/2" x 6"	US26D US10A US3 US26 US4 US10	3	24
				
**Full Mortise, Standard Weight, Plain Bearing from 3 1/2" x 5" to 5" x 8", available upon request. **Full Mortise, Standard Weight, Two Ball Bearings from 3 1/2" x 5" to 5" x 8", available upon request. **Full Mortise, Heavy Weight, Two Ball Bearings from 4 1/2" x 5" to 5" x 10", available upon request. (SUBJECT TO LEAD TIME AND QUANTITY)				

All hinges are stamped with CRP logo. Finishes in **REVERSE BOLD ITALICS** are also available w/o logo. Prefix "UN" when ordering.

NOTES


- All hinges are sold with a minimum order quantity (MOQ) equal to or exactly divisible by the inner box quantity.
- **N.R.P.** (Non-Removable Pin) where not shown
- **N.R.P** for US32D

ITEM#	SIZE	FINISH	BOX QTY	CASE QTY
-------	------	--------	---------	----------

ELECTRIFIED HINGES (ENERGY TRANSFER HINGES) STANDARD WEIGHT

Full Mortise, Two Ball Bearings

ELE4BB31	4 wires 4 1/2" x 4 1/2"	US26D US3 US10A US10B US26 US32D US10 US15 US4 US5	1	-
----------	----------------------------	---	---	---



ELE6BB31	6 wires 4 1/2" x 4 1/2"	US10B US26D US32D	1	-
----------	----------------------------	-------------------------	---	---

ELE8BB31	8 wires 4 1/2" x 4 1/2"	US10B US26D US32D	1	-
----------	----------------------------	-------------------------	---	---

ELQC8BB31	8 wires 4 1/2" x 4 1/2"	US26D US32D	1	-
-----------	----------------------------	----------------	---	---

ELQC12BB31	12 wires 4 1/2" x 4 1/2"	US26D US32D	1	-
------------	-----------------------------	----------------	---	---

FOR QUICK CONNECT OPTION ON 8-WIRE & 12-WIRE ELECTRIFICATION IS AVAILABLE

HEAVY WEIGHT

Full Mortise, Four Ball Bearings

ELE4BB5200	4 wires 4 1/2" x 4 1/2"	US10B US26D US32D	1	-
ELE4BB5210	4 wires 5" x 4 1/2"	US10B US26D US32D	1	-

CONCEALED

Standard Weight, Concealed Ball Bearings

ELE4BB2200	4 wires 4 1/2" x 4 1/2"	US26D	1	-
ELE8BB2200	8 wires 4 1/2" x 4 1/2"	US26D	1	-

ENERGY TRANSFER HINGES FOR PANIC BAR WITH ELECTRONIC LATCH RETRACTION (ELR) STANDARD WEIGHT

Full Mortise, Two Ball Bearings

ELELR4BB31	4 wires 4 1/2" x 4 1/2"	US26D	1	-
ELELR6BB31	6 wires 4 1/2" x 4 1/2"	US26D	1	-
ELELR8BB31	8 wires 4 1/2" x 4 1/2"	US26D	1	-

FOR QUICK CONNECT OPTION ON 8-WIRE AND 12-WIRE ELECTRIFICATION IS AVAILABLE

ITEM#	SIZE	FINISH	BOX QTY	CASE QTY
-------	------	--------	---------	----------

ENERGY TRANSFER HINGES FOR PANIC BAR WITH ELECTRONIC LATCH RETRACTION (ELR) HEAVY WEIGHT

Full Mortise, Four Ball Bearings

ELELR4BB5200	4 wires 4 1/2" x 4 1/2"	US26D	1	-
ELELR6BB5200	6 wires 4 1/2" x 4 1/2"	US26D	1	-
ELELR8BB5200	8 wires 4 1/2" x 4 1/2"	US26D	1	-

Extra Charge On Other Hinges and Wires

CONSULT FACTORY FOR ELECTRIFICATION ON HINGES, FINISHES, MONITOR SWITCH AND 2, 4, 6, 8, 10 or 12 WIRES NOT LISTED ABOVE

All hinges shown are stock items for immediate shipment.

All hinges are stamped with CRP logo. Finishes in **REVERSE BOLD ITALICS** are also available w/o logo. Prefix "UN" when ordering.

NOTES


- All hinges are sold with a minimum order quantity (MOQ) equal to or exactly divisible by the inner box quantity.
- **N.R.P.** (Non-Removable Pin) where not shown
- **N.R.P** for US32D

ITEM#	SIZE	FINISH	BOX QTY	CASE QTY
-------	------	--------	---------	----------

SPRING HINGES

Full Mortise, Standard Weight, Spring Hinges

NEWSH140	4 1/2" x 4 1/2"	USP US26D US15 US10A US10B US10 US4 US5 US3 US26 US32D US1	2	48
----------	-----------------	---	---	----



NEWSH454	4 1/2" x 4"	USP US26D US10A US15A US4 US3 US26	2	48
----------	-------------	--	---	----

BB14031		US26D US10B US4 US15 US26 USP	1 SET (2 pcs SH140 & 1pc BB31)	16 SETS (32 pcs SH140 & 16 pcs BB31)
---------	--	--	-----------------------------------	---




**2 pcs 4 1/2" X 4 1/2" SH140 SPRING HINGES
1 pc 4 1/2" X 4 1/2" BB31 2-BALL BEARING HINGE
PACKAGED IN ONE INNER BOX AS A SET**



All hinges shown are stock items for immediate shipment.

All hinges are stamped with CRP logo. Finishes in ***REVERSE BOLD ITALICS*** are also available w/o logo. Prefix "UN" when ordering.

NOTES

- All hinges are sold with a minimum order quantity (MOQ) equal to or exactly divisible by the inner box quantity.
- **N.R.P.** (Non-Removable Pin) where not shown
- **N.R.P** for **US32D**

ITEM#	SIZE	FINISH	BOX QTY	CASE QTY
SPRING HINGES				
Full mortise, Round Corner, .110" Gauge, Spring Hinge				
NEWSH44R	4" x 4" 1/4" Radius Template	USP US26D US10A US10B US15A US15 US4 US3/4 US5 US2D US3 US26 US1 DURO	2	48
				
BENCHMARK, ROUND CORNER, .110" GAUGE, SPRING HINGE				
NBENSH4458R	4" x 4" 5/8" Radius	US4 US26D	2	48
Benchmark Spring hinge screws specification: 4 pcs wood screws #10 x 1" 4 pcs machine screws 1/2 x 12-24 per hinge				
				
CASTLEGATE COMBINATION CORNER SPRING HINGE				
CSH4458RSRLH CSH4458RSRRH		US26D US2D US15	2	48
				
Handed, combination square and round corner 5/8" spring hinge LH (Left Hand) RH (Right Hand) 8 pcs wood screws 1" x 10 4 pcs machine screws #10 head 1/2" x 12-24 per hinge				

ITEM#	SIZE	FINISH	BOX QTY	CASE QTY
SPRING HINGES				
NEWSH4458R	4" X 4" 5/8" Radius Non-Template	USP US26D US4 US3/4 US2D US3 US5 US26 US10B US15A US15 US1	2	48
				
BUSH-4458R (Bulk with wood screws)	4" X 4" 5/8" Radius Non-Template	US26D US15 US2D	---	48
NEWSH35R	3 1/2" X 3 1/2" 1/4" Radius Template	USP US26D US10A US10B US15 US15A US2D US4 US3 US26 US1	2	48
NEWSH3558R	3 1/2" X 3 1/2" 5/8" Radius Template	US4 US2D US3 US26 US26D US10B US15 US15A US1	2	48
NEWSCSH35	3 1/2" X 3 1/2" Square Corner Template	US4 US26D	2	48
** Other finishes available upon request				
EXTRUDED SOLID BRASS HINGES				
Full Mortise, Two Ball Bearings				
LIFE TIME FINISH				
LIFSBBH45	4 1/2" X 4 1/2"	US3	2	60
LIFSBBH44	4" X 4"	US3	2	60
LIFSBBH35	3 1/2" X 3 1/2"	US3	2	60
STANDARD FINISH				
SBBH45	4 1/2" X 4 1/2" .134" Gauge	US3 US5 US26 US10B US15 US15A US26D	2	60
				





All hinges shown are stock items for immediate shipment.

All hinges are stamped with CRP logo. Finishes in **REVERSE BOLD ITALICS** are also available w/o logo. Prefix "UN" when ordering.

NOTES

- All hinges are sold with a minimum order quantity (MOQ) equal to or exactly divisible by the inner box quantity.
- N.R.P.** (Non-Removable Pin) where not shown
- N.R.P** for **US32D**

ITEM#	SIZE	FINISH	BOX QTY	CASE QTY
EXTRUDED SOLID BRASS HINGES				
Full Mortise, Two Ball Bearings				
STANDARD FINISH				
SBBH44	4" X 4" .130" Gauge	US3 US5 US26 US10B US15 US15A US26D	2	60
SBBH35	3 1/2" X 3 1/2" .123" Gauge	US3 US5 US26 US10B US15 US15A US26D	2	60
Full Mortise, Plain Bearing				
SBH45	4 1/2" X 4 1/2" .134" Gauge	US3	2	60
SBH44	4" X 4" .130" Gauge	US3	2	60
SBH35	3 1/2" X 3 1/2" .123" Gauge	US3	2	60
DECORATIVE TIPS FOR EXTRUDED SOLID BRASS HINGES				
LIFE TIME FINISH				
LIFST	Steeple Tip	US3	1	---
LIFAC	Acorn Tip	US3		
LIFBL	Ball Tip	US3		
LIFUR	Urn Tip	US3		
STANDARD FINISH				
BL	Ball Tip	US3 US5 US26 US10B US15 US15A US26D	1	---
ST	Steeple Tip	US3 US5 US26 US10B US15 US15A US26D	1	---
AC	Acorn Tip	US3 US5 US26 US10B US15 US15A US26D	1	---


ITEM#	SIZE	FINISH	BOX QTY	CASE QTY
DECORATIVE TIPS FOR EXTRUDED SOLID BRASS HINGES				
STANDARD FINISH				
UR	Urn Tip	US3 US5 US26 US10B US15 US15A US26D	1	---
 <p>*Tips fit all sizes. Prefix tip design to item number.</p>				
TIMELY, REDDI FRAME HINGES				
Round Corner, Full Mortise, Plain Bearing-Template				
Residential Weight, 1/2 MS - 1/2 WS				
TBHRC33	4" X 4" 1/4" Radius	US26D US26DNRP US10A US10B US10BNRP US4 US3 US26 US28 DURO US1DBLK	3	48
				
TBHRC45	3 1/2" X 3 1/2" 1/4" Radius	US26D US10A US10B US4 US3 US26 US28 DURO US1BLK	2	100
				
RESIDENTIAL HINGES				
				
Full Mortise, Residential Weight, 2-Ball Bearings, 2 each / Inner Box w/ flycut wood screws, Round Corner, 5 Knuckles				
BBRH60	4" X 4" 1/4" Radius	US3 US4 US10B US11P US15 US26 US26D US26DNRP	2	100
BBRH61	3 1/2" X 3 1/2" 1/4" Radius	US3 US4 US10B US11P US15 US26 US26D	2	100

All hinges shown are stock items for immediate shipment.

All hinges are stamped with CRP logo. Finishes in **REVERSE BOLD ITALICS** are also available w/o logo. Prefix "UN" when ordering.

NOTES

- All hinges are sold with a minimum order quantity (MOQ) equal to or exactly divisible by the inner box quantity.
- **N.R.P.** (Non-Removable Pin) where not shown
- **N.R.P** for US32D

ITEM#	SIZE	FINISH	BOX QTY	CASE QTY
RESIDENTIAL HINGES				
Full Mortise, Residential Weight, 2-Ball Bearings, 2 each / Inner Box w/ flycut wood screws, Round Corner, 5 Knuckles				
BBRH40	4" X 4" 5/8" Radius	US3	2	100
		US4		
		US10B		
		US11P		
		US15		
		US26		
		US26D		
US26DNRP				
BBRH35	3 1/2" X 3 1/2" 5/8" Radius	US3	2	100
		US4		
		US10B		
		US11P		
		US15		
		US26		
				
Full Mortise, Residential Weight, Plain Bearing, Bulk Assembled w/ flycut wood screws Round Corner, 5 Knuckles				
RH40B	4" X 4" 5/8" Radius	US4	---	100
		US4NRP		
		US3/4		
		US2D		
		US26D		
RH60B	4" X 4" 1/4" Radius	US4	---	100
		US4NRP		
		US3/4		
		US2D		



ITEM#	SIZE	FINISH	BOX QTY	CASE QTY
RESIDENTIAL HINGES				
Full Mortise, Residential Weight, Plain Bearing, Bulk Assembled w/ flycut wood screws Round Corner, 5 Knuckles				
RH35B	3 1/2" X 3 1/2" 5/8" Radius	US4	---	100
		US3/4		
		US2D		
		US3		
		US26D		
		US15A		
		US15		
		US26		
		US5		
		US10B		
		US11P		
RH61B	3 1/2" X 3 1/2" 1/4" Radius	US4	---	100
		US3/4		
		US2D		
**Other finishes are available bulk upon request. (Subject to lead time)				
Full Mortise, Residential Weight Plain Bearing, Bulk Unassembled w/ flycut wood screws Round Corner, 5 Knuckles				
UARH40B	4" X 4" 5/8" Radius	US4	---	100
		US2D		
UARH60B	4" X 4" 1/4" Radius	US4	---	100
		US2D		
Full Mortise, Residential Weight Plain Bearing, 2 Each / Inner Box w/ flycut wood screws, Round Corner, 5 Knuckles				
RH40	4" X 4" 5/8" Radius Non Template	US2D	2	100
		US3		
		US3NRP		
		US26D		
		US15A		
		US15		
		US15NRP		
		US26		
		US26DNRP		
		US5		
		US10		
		US10B		
		US10BNRP		
		US11P		
US11PNRP				
US32D				
US32DNRP				
US1				
RH91	4" X 4" Square Corner	US4	2	100
RH90	3 1/2" X 3 1/2" Square Corner	US4	2	100
RH33	3 1/2" X 3 1/2" Square Corner	US4	2	100



All hinges shown are stock items for immediate shipment.

All hinges are stamped with CRP logo. Finishes in **REVERSE BOLD ITALICS** are also available w/o logo. Prefix "UN" when ordering.

NOTES

- All hinges are sold with a minimum order quantity (MOQ) equal to or exactly divisible by the inner box quantity.
- **N.R.P.** (Non-Removable Pin) where not shown
- **N.R.P** for US32D

ITEM#	SIZE	FINISH	BOX QTY	CASE QTY
RESIDENTIAL HINGES				
Full Mortise, Residential Weight Plain Bearing, 2 Each / Inner Box w/ flycut wood screws, Round Corner, 5 Knuckles				
RH60	4" X 4" 1/4" Radius Non Template	US4 US4NRP US3 US3NRP US26D US26DNRP US15A US15 US15NRP US26 US26NRP US5 US10 US10B US10BNRP US11P US11PNRP US32D US32DNRP US1 USP USPNRP US10A	2	100
				
RH35	3 1/2" X 3 1/2" 5/8" Radius Template	US4 US3 US26D US15A US15 US26 US5 US10 US10B US11P US32D US1 US10A	2	100
				
10RH35	3 1/2" X 3 1/2" 5/8" Radius Template w/ 1" Screws	US26D US15 US26 US10B	2	100

ITEM#	SIZE	FINISH	BOX QTY	CASE QTY
RESIDENTIAL HINGES				
Full Mortise, Residential Weight Plain Bearing, 2 Each / Inner Box w/ flycut wood screws, Round Corner, 5 Knuckles				
RH61	3 1/2" X 3 1/2" 1/4" Radius Template	US4 US4NRP US3 US26D US15A US15 US26 US5 US10B US11P US32D US1 US10	2	100
				
CASTLEGATE COMBINATION CORNER HINGES				
Full Mortise, Residential Weight, Plain Bearing, Bulk Unassembled w/ flycut wood screws Round Corner, 6 Knuckles				
CAS44R (Right Hand) CAS44L (Left Hand)		US26D US26DNRP US2D US2DNRP	2	100
				
Handed combination square and round corner 5/8" hinge LH (Left Hand) RH (Right Hand) 8 pcs wood screws 1" x 10 4 pcs machine screws #10 head 1/2" x 12-24 per hinge				
RESIDENTIAL HINGES				
Full Mortise, Residential Weight, Plain Bearing, Bulk Unassembled w/ flycut wood screws Round Corner, 6 Knuckles				
UARH356	3 1/2" x 3 1/2" 5/8" Radius	US4	---	100
<ul style="list-style-type: none"> • All hinges above are steel base material with the exception of US32D (STAINLESS STEEL). • For solid brass base, prefix "SB" before PART # • Availability on application. (Subject to lead time and quantity) 				
Benchmark, Hole Pattern, Residential Weight, Bulk Assembled, with screws				
BENRH40B	4" x 4" 5/8" Radius	US26DNRP US4 USP USPNRP	---	100
Benchmark residential weight screw specification 3 pcs wood screws #10 x 3/4", 1pc wood screw #10 x 2" 4 pcs machine screws 1/2" x 10-24 per hinge. ▶ Benchmark spring hinges available. See spring hinge section				





All hinges shown are stock items for immediate shipment.

All hinges are stamped with CRP logo. Finishes in **REVERSE BOLD ITALICS** are also available w/o logo. Prefix "UN" when ordering.

NOTES

- All hinges are sold with a minimum order quantity (MOQ) equal to or exactly divisible by the inner box quantity.
- N.R.P.** (Non-Removable Pin) where not shown
- N.R.P.** for **US32D** available

ITEM#	SIZE	FINISH	BOX QTY	CASE QTY
RESIDENTIAL SQUARE CORNER STAINLESS STEEL HINGES				
Full Mortise, Residential Weight, Template hole pattern, Plain Bearing, 2 Each / Inner Box with wood screws, Square Corner, 0.080" Gauge				
LTBHSC55	4" X 4" Square Corner	US32D	2	100
LTBHSC77	3 1/2" x 3 1/2" Square Corner	US32D	2	100
LTBHSC33	3" x 3" Square Corner	US32D	2	100
DECORATIVE TIPS FOR STEEL PLATED RESIDENTIAL HINGES				
BALL TIP				
RESBLTP35KIT	Ball Tip Residential 3 1/2" x 3 1/2" Hinge for RH35, RH35B, RH61, RH61B	US3 US5 US10B US15 US15A US26 US26D	INCLUDES: 1 PIN & 2 TIPS 2 100	
RESBLTP44KIT	Ball Tip Residential 4" x 4" hinge RH60, RH40, RH60B, RH40B	US3 US5 US10B US15 US15A US26 US26D	2 100	
STEEPLE TIP				
RESSTP35KIT	Steeple Tip Residential 3 1/2" x 3 1/2" Hinge for RH35, RH61 RH35B, RH61B	US3 US5 US10B US15 US15A US26 US26D	INCLUDES: 1 PIN & 2 TIPS 2 100	
RESSTP44KIT	Steeple Tip Residential 4" x 4" Hinge for RH60, RH40, RH60B, RH40B	US3 US5 US10B US15 US15A US26	2 100	

ITEM#	SIZE	FINISH	BOX QTY	CASE QTY
SOLID BRASS PARLIAMENT HINGES				
				
<p>► PACKAGING INCLUDES</p> <ul style="list-style-type: none"> ♦ One pair per inner box, individually poly bagged. ♦ 100 pcs / Master carton <p>Packed with #9 x 3/4" wood screws. Ball tip attached</p>				
PARH3A	3" x 2 1/4" x 0.093"	US3 US15 US10B US15A US26 US5	2	100
PARH4B	4" x 2 1/2" x 0.093"	US3 US15 US10B US15A US26 US5	2	100
PARH458C	4 5/8" x 2 1/2" x 0.093"	US3 US15 US10B US15A US26 US5	2	100
REINFORCING PIVOT HINGES				
Full Surface Reinforcing Pivot Hinge for 4 1/2" Wide Hinges				
RPH45	4 1/2" wide	US26D	1	10
				
RPH45SHIM	1/8" Shim plate for PH45	USP	1	1
CABINET HINGES				
CABH-2015	2" x 1 1/2"	US10B US15	10 10	100 100
				
CABH-2517	2 1/2" x 1 11/16"	US10B US15	10 10	100 100
				

HINGE SCREWS . . .

**STEEL SCREWS FOR CONTRACT GRADE
SIZE 4", 4.5" AND 5"**

ITEM#	SIZE	FINISH	BOX QTY
MACHINE 1/2" x 12-24 FPHM			
MSC1224		USP	
		US26D	
		US10A	
		US10B	
		US10	100
		US4	
		US3	
		US26	
		DURO	
		US32D	100
WOOD 1 1/4" x 12 FPHW			
WSC11412		USP	
		US26D	
		US10A	
		US10B	
		US10	100
		US4	
		US3	
		US26	
		DURO	
		US32D	100
WOOD 1" x 12 FPHW			
WSC11299		USP	
		US26D	
		US10A	
		US10B	
		US10	100
		US4	
		US3	
		US26	
		US15	
		DURO	

**STEEL SCREWS FOR RESIDENTIAL HINGES
(4" x 4" and 3 1/2" x 3 1/2")**








ITEM#	SIZE	FINISH	BOX QTY
WOOD 1" x 9 with flycut (4" x 4" size hinge)			
TWSC19		US26D	
		US10A	
		US4	100
		US3	
		US26	
WOOD 3/4" x 9 with flycut (3 1/2" x 3 1/2" size hinge)			
RESWC349		US26D	
		US10A	
		US4	100
		US3	
		US26	

**STEEL SCREWS FOR TBHRC33 AND TBHRC45,
4" X 4" AND 3 1/2" X 3 1/2" TIMELY HINGES,
4" X 4" and 3 1/2" X 3 1/2" SPRING HINGES,
3 1/2" X 3 1/2" Contract Grade Hinges**

ITEM#	SIZE	FINISH	BOX QTY
Machine 1/2" x 12 - 24 with #10 head FPHM (4" X 4" SIZE HINGE, 1/4" radius)			
TMC1224		USP	
		US26D	
		US10A	
		US4	
		US3	100
		US26	
		US28	
		US15	
		US10B	
		DURO	
Machine 1/2" x 10 - 24 with #10 head FPHM (4" x 4" size hinge, 5/8" radius) for SH4458R			
TMC10244458R		USP	
		US26D	
		US10A	
		US4	
		US3	100
		US26	
		US10B	
		DURO	
Wood 1" x 10 FPHW (4" x 4" size hinge)			
TWSC110		USP	
		US26D	
		US10A	
		US4	
		US3	100
		US26	
		US10B	
		US15	
		US15A	
		DURO	
Machine 1/2" x 10 - 24 #9 Head FPHM (3 1/2" x 3 1/2" size hinge)			
TMC121024		USP	
		US26D	
		US10A	
		US4	
		US3	100
		US26	
		US10B	
		US32D	
		DURO	
Wood 1" x 9 FPHW (3 1/2" x 3 1/2" size hinge)			
TWSC19		USP	
		US26D	
		US10A	
		US4	
		US3	100
		US26	
		US28	
		US10B	
		US15	
		US15A	
		DURO	

GEARED ALUMINUM CONTINUOUS HINGES.....

► Heavy Duty

ITEM#	DESCRIPTION	SIZE	FINISH	CASE QTY	UNIT
CONCEALED LEAF					
 CRHD781120	Leaves are concealed between the rabbet of the frame and the hinge edge of the door.	83"	CLEAR	1	Ea.
			DB		
 CRHD781110		83"	CLEAR		
			DB		
 CRHD782240 (1 3/4" doors)		83"	CLEAR		
			DB		
	95"	CLEAR			
		DB			
FULL SURFACE					
 CRHD781570	Frame leaf mounted to the face of the frame and the face of the door. The door leaf is mounted to the door with through bolts.	83"	CLEAR	1	Ea.
			DB		
 CRHD782100		83"	CLEAR		
			DB		
 CRHD780570		83"	CLEAR		
			DB		
	95"	CLEAR			
		DB			
HALF SURFACE					
 CRHD780530	Frame leaf concealed between the rabbet of the frame and the edge of the door. The door leaf is mounted to the face of the door with sex bolts or screws.	83"	CLEAR	1	Ea.
			DB		
95"		CLEAR			
		DB			

****SPECIFY SIZE AND FINISH AFTER ITEM#**



- For additional fire rating Prefix "UL" before part#
- Contact your Local Distributor or click [here](#) for the list of our Sales Representatives for inquiries and availability of the item.
- Refer to fire rating chart for standard fire rating

► Electrification

CODE	NO. OF WIRES	CONTINUOUS HINGE ELECTRIFICATION MODIFICATIONS FOR CRHD781120 AND CRHD782240 ONLY
CET8	8	Removable 12" Aluminum Gear Hinge. Can easily be removed for adjustment and service.
EPT	--	Cut-out according to Von Duprin Part # EPT-10 and Cal-Royal CRPT-10, CRPT-10C and CRPT-2 location

TO ELECTRIFY: Prefix **CODE** before **PART#**. For Example: To order 8-wire on 1 piece of CRHD781120 ALUM Gear hinge with a length of 83", use "**CET8CRHD78112083 CLEAR**"

► Additional Heavy Duty Channel Cover



◆◆◆FOR OTHER LOCATIONS CONSULT FACTORY◆◆◆

ITEM#	DESCRIPTION	SIZE	FINISH	CASE QTY	UNIT		
CC83A	Channel Cover (A). Can be used for CRHD781570, CRHD780570 and CRHD780590	83"	Clear	Ea.	1		
			Dark Bronze				
CC95A	Channel Cover (A). Can be used for CRHD781570, CRHD780570 and CRHD780590	95"	Clear				
			Dark Bronze				
CC83B	Channel Cover (B) Can be used for CRHD781570	83"	Clear				
			Dark Bronze				
CC95B			Channel Cover (B) Can be used for CRHD781570			95"	Clear
							Dark Bronze
CC83C	Common Channel Gear Cover (C) Can be used for all models of continuous geared hinges	83"	Clear				
			Dark Bronze				
CC95C			Common Channel Gear Cover (C) Can be used for all models of continuous geared hinges	95"	Clear		
					Dark Bronze		
CC83D	Channel Cover (D) Can be used for CRHD782100	83"	Clear				
			Dark Bronze				
CC95D			Channel Cover (D) Can be used for CRHD782100	95"	Clear		
					Dark Bronze		

CONTINUOUS HINGE MODEL CROSS REFERENCE

CAL-ROYAL	ROTON	PEMKO	MARKAR	MCKINNEY	ZERO	STANLEY	ABH	SELECT
CRHD781120	780-112HD	FMSLFHD	FM2000	MCK12HD	910DB	661HD	A110HD	SL11HD
CRHD782240	780-224HD	FMHD	FM2011	MCK25HD	914DB	662HD	A240HD	SL24HD
CRHD781570	780-157HD	FSCPHD		MCK58HD	935DB	664HD	A570HD	SL57HD
CRHD782100	780-210HD	FSHD	FM2009	MCK22HD	930DB		A210HD	SL18HD
CRHD781110	780-111HD	FMSLIHD		MCK-14HD			A111HD	SL18HD
CRHD780530	780-053HD				925DB		A530HD	SL53HD
CRHD780570	780-057HD		FS2002				A571HD	SL60HD