


# SC Series

**HEAVY DUTY, GRADE 1 MORTISE LOCKSET**

**Optional Interchangeable Core Small Format (Best, Falcon and Arrow) or Large Format (Schlage)**



 <small>3 HOUR FIRE RATED UL10C, UBC7-2-1997</small>	<b>LIFETIME WARRANTY</b>	<b>BHMA</b> <small>CERTIFIED</small> <small>Be Safe. Be Secure. Look for the Mark.</small>	<b>MEETS</b> <i>The Buy American Act</i>
---	--------------------------	--	---

**NON-STOCK FINISHES AVAILABLE WITH FACTORY LEAD TIME AND SUBJECT TO MINIMUM ORDER**

**SS SECTIONAL TRIM ONLY**


FUNCTIONS		ANSI	FINISHES		
<i>Single cylinder without deadbolt</i>	SC8050 - Office / Entrance	F04	US26D	US32D, 32	US10B, 3, 26, 4, 19
	SC8056 - Office with Automatic Unlocking	----			
	SC8070 - Classroom	F05			
	SC8076 - Classroom Hold-Back	F06			
	SC8080 - Storeroom	F07			
<i>Single cylinder with deadbolt</i>	SC8453 - Entrance	F20			
	SC8456 - Corridor	F13			
	SC8465 - Closet / Storeroom with Deadbolt	----			
	SC8495 - Keyed Privacy with Indicator	----			
	SC8485 - Faculty Restroom	----			
	SC8486 - Faculty Restroom with Indicator	----			
	SC8473 - Dormitory / Bedroom	F21			
<i>Double cylinder without deadbolt</i>	SC8480 - Storeroom with Deadbolt	----			
	SC8060 - Apartment Entrance	F09			
	SC8082 - Asylum / Institution	F30			
	SC8071 - Classroom Security	F32			
<i>Double cylinder with deadbolt</i>	SC8077 - Classroom Security Hold-Back	----			
	SC8466 - Store Door Lock	F14			
	SC8457 - Classroom Security with Deadbolt	F33			
<i>Other Functions</i>	SC8458 - Classroom Security with Deadbolt and Auxiliary Latch	F34			
	SC8040 - Privacy Bedroom / Bath	F22			
	SC8044 - Privacy with Coin Turn Outside	----			
	SC8440 - Privacy with Deadbolt	F19			
	SC8444 - Privacy with Deadbolt & Coin Turn Outside	F19A			
	SC8445 - Privacy with Deadbolt, Coin Turn Outside and Indicator	F19B			
	SC8010 - Passage	F01			
	SC8170 - Single Fixed Dummy	----			
	SC8172 - Double Fixed Dummy	----			
	SC8175 - Single Dummy with Lock Case	----			
SC8176 - Double Dummy with Lock Case	----				

**Optional Interchangeable Cores** All keyed lock functions are available with Best, Falcon and Arrow, Schlage, Corbin / Russwin, Sargent, and Yale Large Format Interchangeable Cores

# SC Series

## HEAVY DUTY, GRADE 1 MORTISE LOCKSET

**Optional Interchangeable Core Small Format (Best, Falcon and Arrow) or Large Format (Schlage)**



**ALL ITEMS BELOW AVAILABLE WITH FACTORY LEAD TIME AND SUBJECT TO MINIMUM ORDER QUANTITY**

### AS, GS, HS, JS, TS, WS SECTIONAL TRIM ONLY


FUNCTIONS		ANSI	FINISHES		
<i>Single cylinder without deadbolt</i>	SC8050 - Office / Entrance	F04	US26D	US32D, 32	US10B, 3, 26, 4, 19
	SC8056 - Office with Automatic Unlocking	----			
	SC8070 - Classroom	F05			
	SC8076 - Classroom Hold-Back	F06			
	SC8080 - Storeroom	F07			
<i>Single cylinder with deadbolt</i>	SC8453 - Entrance	F20			
	SC8456 - Corridor	F13			
	SC8465 - Closet / Storeroom with Deadbolt	----			
	SC8495 - Keyed Privacy with Indicator	----			
	SC8485 - Faculty Restroom	----			
	SC8486 - Faculty Restroom with Indicator	----			
	SC8473 - Dormitory / Bedroom	F21			
<i>Double cylinder without deadbolt</i>	SC8480 - Storeroom with Deadbolt	----			
	SC8060 - Apartment Entrance	F09			
	SC8082 - Asylum / Institution	F30			
	SC8071 - Classroom Security	F32			
<i>Double cylinder with deadbolt</i>	SC8077 - Classroom Security Hold-Back	----			
	SC8466 - Store Door Lock	F14			
	SC8457 - Classroom Security with Deadbolt	F33			
<i>Other Functions</i>	SC8458 - Classroom Security with Deadbolt and Auxiliary Latch	F34			
	SC8040 - Privacy Bedroom / Bath	F22			
	SC8044 - Privacy with Coin Turn Outside	----			
	SC8440 - Privacy with Deadbolt	F19			
	SC8444 - Privacy with Deadbolt & Coin Turn Outside	F19A			
	SC8445 - Privacy with Deadbolt, Coin Turn Outside and Indicator	F19B			
	SC8010 - Passage	F01			
	SC8170 - Single Fixed Dummy	----			
	SC8172 - Double Fixed Dummy	----			
	SC8175 - Single Dummy with Lock Case	----			
SC8176 - Double Dummy with Lock Case	----				

**Optional Interchangeable Cores** All keyed lock functions are available with Best, Falcon and Arrow, Schlage, Corbin / Russwin, Sargent, and Yale Large Format Interchangeable Cores

# SC Series

**HEAVY DUTY, GRADE 1 WIDE ESCUTCHEON MORTISE LOCKSET**

**Optional Interchangeable Core Small Format (Best, Falcon and Arrow) or Large Format (Schlage)**



**NON-STOCK FINISHES AVAILABLE  
WITH FACTORY LEAD TIME  
AND SUBJECT TO MINIMUM ORDER**


SE WIDE ESCUTCHEON TRIM ONLY					
FUNCTIONS		ANSI	FINISHES		
<i>Single cylinder without deadbolt</i>	SC8050 - Office / Entrance	F04	US26D	US32D, 32	US10B, 3, 26, 4, 19
	SC8056 - Office with Automatic Unlocking	----			
	SC8070 - Classroom	F05			
	SC8076 - Classroom Hold-Back	F06			
	SC8080 - Storeroom	F07			
<i>Single cylinder with deadbolt</i>	SC8453 - Entrance	F20			
	SC8456 - Corridor	F13			
	SC8465 - Closet / Storeroom with Deadbolt	----			
	SC8495 - Keyed Privacy with Indicator	----			
	SC8485 - Faculty Restroom	----			
	SC8486 - Faculty Restroom with Indicator	----			
	SC8473 - Dormitory / Bedroom	F21			
<i>Double cylinder without deadbolt</i>	SC8480 - Storeroom with Deadbolt	----			
	SC8060 - Apartment Entrance	F09			
	SC8082 - Asylum / Institution	F30			
	SC8071 - Classroom Security	F32			
<i>Double cylinder with deadbolt</i>	SC8077 - Classroom Security Hold-Back	----			
	SC8466 - Store Door Lock	F14			
	SC8457 - Classroom Security with Deadbolt	F33			
<i>Other Functions</i>	SC8458 - Classroom Security with Deadbolt and Auxiliary Latch	F34			
	SC8040 - Privacy Bedroom / Bath	F22			
	SC8044 - Privacy with Coin Turn Outside	----			
	SC8440 - Privacy with Deadbolt	F19			
	SC8444 - Privacy with Deadbolt & Coin Turn Outside	F19A			
	SC8445 - Privacy with Deadbolt, Coin Turn Outside and Indicator	F19B			
	SC8010 - Passage	F01			
	SC8170 - Single Fixed Dummy	----			
	SC8172 - Double Fixed Dummy	----			
	SC8175 - Single Dummy with Lock Case	----			
SC8176 - Double Dummy with Lock Case	----				

**Optional Interchangeable Cores** All keyed lock functions are available with Best, Falcon and Arrow, Schlage, Corbin / Russwin, Sargent, and Yale Large Format Interchangeable Cores

# SC Series

**HEAVY DUTY, GRADE 1 WIDE ESCUTCHEON MORTISE LOCKSET**

**Optional Interchangeable Core Small Format (Best, Falcon and Arrow) or Large Format (Schlage)**



**ALL OTHER LEVER TRIMS ARE AVAILABLE WITH FACTORY LEAD TIME AND SUBJECT TO MINIMUM ORDER QUANTITY**

**AE, GE, HE, JE, TE, WE WIDE ESCUTCHEON TRIM ONLY**


FUNCTIONS		ANSI	FINISHES		
<i>Single cylinder without deadbolt</i>	SC8050 - Office / Entrance	F04	US26D	US32D, 32	US10B, 3, 26, 4, 19
	SC8056 - Office with Automatic Unlocking	----			
	SC8070 - Classroom	F05			
	SC8076 - Classroom Hold-Back	F06			
	SC8080 - Storeroom	F07			
<i>Single cylinder with deadbolt</i>	SC8453 - Entrance	F20			
	SC8456 - Corridor	F13			
	SC8465 - Closet / Storeroom with Deadbolt	----			
	SC8495 - Keyed Privacy with Indicator	----			
	SC8485 - Faculty Restroom	----			
	SC8486 - Faculty Restroom with Indicator	----			
	SC8473 - Dormitory / Bedroom	F21			
<i>Double cylinder without deadbolt</i>	SC8480 - Storeroom with Deadbolt	----			
	SC8060 - Apartment Entrance	F09			
	SC8082 - Asylum / Institution	F30			
	SC8071 - Classroom Security	F32			
<i>Double cylinder with deadbolt</i>	SC8077 - Classroom Security Hold-Back	----			
	SC8466 - Store Door Lock	F14			
	SC8457 - Classroom Security with Deadbolt	F33			
<i>Other Functions</i>	SC8458 - Classroom Security with Deadbolt and Auxiliary Latch	F34			
	SC8040 - Privacy Bedroom / Bath	F22			
	SC8044 - Privacy with Coin Turn Outside	----			
	SC8440 - Privacy with Deadbolt	F19			
	SC8444 - Privacy with Deadbolt & Coin Turn Outside	F19A			
	SC8445 - Privacy with Deadbolt, Coin Turn Outside and Indicator	F19B			
	SC8010 - Passage	F01			
	SC8170 - Single Fixed Dummy	----			
	SC8172 - Double Fixed Dummy	----			
	SC8175 - Single Dummy with Lock Case	----			
SC8176 - Double Dummy with Lock Case	----				

**Optional Interchangeable Cores** All keyed lock functions are available with Best, Falcon and Arrow, Schlage, Corbin / Russwin, Sargent, and Yale Large Format Interchangeable Cores

# SC Series

HEAVY DUTY, GRADE 1 MORTISE DEADBOLTS

●● Optional Interchangeable Core Small Format (Best, Falcon and Arrow) or Large Format (Schlage)



**NON-STOCK FINISHES AVAILABLE WITH FACTORY LEAD TIME AND SUBJECT TO MINIMUM ORDER**

MODEL#	ANSI	FUNCTIONS	MODEL#	ANSI	FINISHES		
SMT40	1	<b>Cylinder and Thumbturn</b> Deadbolt thrown or retracted by key outside or thumbturn inside.	SC8460	F17	US26D	US32D	US10B, 3, 26, 4, 19
SMT43	1	<b>Double Cylinder</b> Deadbolt operated by key on either side.	SC8462	F16			
SMT41	1	<b>Classroom Lock</b> Deadbolt thrown or retracted by key from outside. Inside thumbturn cylinder retracts deadbolt but cannot project it.	SC8463	F29			
SM142	1	<b>Cylinder Lock</b> Deadbolt thrown or retracted by key from outside only. No trim on opposite side.	SC8464	F18			
SM145	1	<b>Door Bolt</b> Deadbolt thrown or retracted by thumbturn from one side. No trim on opposite side.	SC8461	...			
SM146	1	<b>Deadbolt with "OCCUPIED" indicator</b> Deadbolt thrown or retracted by key outside or thumbturn inside. "OCCUPIED" plate is displayed when deadbolt is thrown.	SC8496	1			

●● All keyed lock functions are available with Best, Falcon and Arrow, Schlage, Corbin / Russwin, Sargent, and Yale Large Format Interchangeable Cores

# SC Series

HEAVY DUTY, GRADE 1 MORTISE LOCKSET WITH CLUTCH

Optional Interchangeable Core Small Format (Best, Falcon and Arrow) or Large Format (Schlage)

► **PACKAGING INCLUDES**

- 6 locks per case
- UL listed single point latch
- Standard "C", 6-pin cylinder
- Non-handed strike

► **KEYWAYS**

6-pin solid brass "C" keyway standard. Optional: Schlage E, Schlage C-K, Russwin D1-2-3-4, Corbin 59 / 60, Arrow A, Corbin-Russwin L4, Sargent LA-LB-LC, Falcon / Weiser E, Yale 8, Yale GA and Kwikset. Can also accept Medeco, Assa, Kaba and **Cal-Royal HSK** High Security Cylinders. See **page L131** for keying charges and Cylinder PART #.

When using 1 1/8" length Mortise Cylinder (for Sectional trim) and 1 1/4" length Mortise Cylinder (for Escutcheon),

**MUST USE SCHLAGE CAM** supplied by Cal-Royal.

**Part # KC-S7**

► **IC CORE**

All keyed lock functions are available with Small Format and Large Format Interchangeable Cores.

**ORDER: Mortise Housing PART # as 2nd Line Item:**

- for **Best, Falcon & Arrow** SFIC - Part # **ICH961387**
- for **Schlage** LFIC - Part # **7000ICMC**
- for **Corbin / Russwin** LFIC - Part # **KM-LFH-CR**
- for **Sargent** LFIC - Part # **KM-LFH-SA**
- for **Yale** LFIC - Part # **KM-LFH-YA**

► **HOW TO ORDER: IC CORE**

Example: SC8050SS US26D with Schlage LFIC,  
**Order: part # 7000ICMC as 2nd line item**

**STANDARD DISCOUNT ONLY**

► FOR 2" up to 2 1/4" Thick door

**Order kit:**


- SCSKIT200 - for sectional trim
- SCEKIT214 - for escutcheon trim

► **OPTIONAL ADA THUMBTURN**

Prefix "ADA" before Mortise lock **ITEM#**

**Use Part #:**

- SCSADA - ADA thumbturn for sectional trim
- SCEADA - ADA thumbturn for escutcheon trim when ordering separately.



ADA THUMBTURN

► **TACTILE**

- Part # TAC

► **LEAD LINING**

- Part # LEAD

► **ANTI MICROBIAL COATING**

- Available on US26D and US32D finishes.
- Specify "ANTB" when ordering.

► **HOW TO ORDER**



**ALL PRODUCTS ARE SHIPPED NON-HANDED.**  
**EASILY FIELD REVERSIBLE**

# SC400 Series

**RETROFITS SCHLAGE L9000**  
(direct chassis replacement)

## ELECTRIFIED MORTISE LOCKS

*Available with or without deadbolt*

### FEATURES:

- UL and CUL Listings
- Continuous duty solenoids for cooler operation during “continuously on” applications
- Allows for an AC or DC power source through an appropriate power supply. No polarity.
- Low current draw
- Numerous switch options
- 3 year “No Hassle” warranty

### OPTIONS:

- Voltage requirement -12V AC / DC or 24V AC / DC
- Amperage - 600mA ±10% @ 12V or 300mA ±10% @ 24V
- Solenoid coil resistance - 12V = 20 Ω ±5% or 24V = 80 Ω ±5%
- Power consumption - 7.2 watts ±10%
- Function – available Fail Safe, “Electrically Locked” (EL) or Fail Secure, “Electrically Unlocked” (EU)

### HOW TO ORDER ELECTRIFIED SC400 SERIES

- Use **SC Models** if ordered as an **ELECTRIFIED LOCK CASE ONLY**.
- Use **ESC Models** if ordered as a complete lock with **ADD-ON list price**.

**Must Specify:** SC Series item # and Electrification Option (refer to table below) separately.

**For Example:** SC8080SS US26D with ESC400 (EL 12V) option,  
**Order:** SC8080SS US26D and ESC400 as two line items.

### ► Optional Switch

- **RX** – Request to Exit Switch (Monitors the inside handle)
- **LBM** – Latch Bolt Monitoring Switch (Monitors the position of latch bolt)
- **DPS** – Door Position Switch (\*Sold Separately. Not installed on the lock.)

**NON-STOCK FINISHES AND FUNCTIONS AVAILABLE WITH FACTORY LEAD TIME AND SUBJECT TO MINIMUM ORDER**

ELECTRIFICATION OPTIONS ( WITHOUT DEADBOLT )						ELECTRIFIED LOCK CASE ONLY	
MODEL #	EL	EU	12	24	RX	LBM	MODEL #
ESC400	✓		✓				SC400
<b>ESC400-RX</b>	✓		✓		✓		<b>SC400-RX</b>
ESC400-LBM	✓		✓			✓	SC400-LBM
ESC400-RXLBM	✓		✓		✓	✓	SC400-RXLBM
ESC404	✓			✓			SC404
<b>ESC404-RX</b>	✓			✓	✓		<b>SC404-RX</b>
ESC404-LBM	✓			✓		✓	SC404-LBM
ESC404-RXLBM	✓			✓	✓	✓	SC404-RXLBM
ESC408		✓	✓				SC408
<b>ESC408-RX</b>		✓	✓		✓		<b>SC408-RX</b>
ESC408-LBM		✓	✓			✓	SC408-LBM
ESC408-RXLBM		✓	✓		✓	✓	SC408-RXLBM
<b>ESC412</b>		✓		✓			<b>SC412</b>
<b>ESC412-RX</b>		✓		✓	✓		<b>SC412-RX</b>
<b>ESC412-LBM</b>		✓		✓		✓	<b>SC412-LBM</b>
<b>ESC412-RXLBM</b>		✓		✓	✓	✓	<b>SC412-RXLBM</b>

ELECTRIFICATION OPTIONS ( WITH DEADBOLT )						ELECTRIFIED LOCK CASE ONLY	
MODEL #	EL	EU	12	24	RX	LBM	MODEL #
ESC416	✓		✓				SC416
ESC416-RX	✓		✓		✓		SC416-RX
ESC416-LBM	✓		✓			✓	SC416-LBM
ESC416-RXLBM	✓		✓		✓	✓	SC416-RXLBM
ESC420	✓			✓			SC420
ESC420-RX	✓			✓	✓		SC420-RX
ESC420-LBM	✓			✓		✓	SC420-LBM
ESC420-RXLBM	✓			✓	✓	✓	SC420-RXLBM
ESC424		✓	✓				SC424
ESC424-RX		✓	✓		✓		SC424-RX
ESC424-LBM		✓	✓			✓	SC424-LBM
ESC424-RXLBM		✓	✓		✓	✓	SC424-RXLBM
<b>ESC428</b>		✓		✓			<b>SC428</b>
<b>ESC428-RX</b>		✓		✓	✓		<b>SC428-RX</b>
ESC428-LBM		✓		✓		✓	SC428-LBM
ESC428-RXLBM		✓		✓	✓	✓	SC428-RXLBM

► *Electrified Mortise Lock Case can be purchased separately. Refer to table above for options.*