

SDH SERIES - STAINLESS STEEL SLIDING DOOR HARDWARE ACCESSORIES						
ILLUSTRATION	ITEM NO	DESCRIPTION	FINISH	UNIT		
	[™] SDH-SPC-17ADJ	17mm (11/16") Spacer for Adjustable Mount Plates with 80mm (3 1/8") screws and plastic anchor. Stainless Steel Material	US32D	4 PCS PER SET		
	[™] SDH-SPC-13ADJ	13mm (33/64") Spacer for Adjustable Mount Plates with 80mm (3 1/6") screws and plastic anchor. Stainless Steel Material	US32D	4 PCS PER SET		
· (• [SDH-SPC-06ADJ	6mm (15/64") Spacer for Adjustable Mount Plates . Stainless Steel Material	US32D	4 PCS PER SET		
	SDH-SPC-05	5mm (¹³ / ₆₄ ") Spacer for Adjustable Mount Plates . PVC Material	PVC	4 PCS PER SET		
· ·	SDH-SPC-015	1.5mm ($^{1}/_{16}$ ") Spacer for Adjustable Mount Plates . PVC Material	PVC	16 PCS PER SET		
	[™] SDH-SPC-17FIX	17mm (11/16") Spacer for Fixed Mount Plates with 80mm (3 1/6") screws and plastic anchor. Stainless Steel Material	US32D	4 PCS PER SET		
	SDH-SPC-13FIX	13mm (33/64") Spacer for Fixed Mount Plates with 80mm (3 1/6") screws and plastic anchor. Stainless Steel Material	US32D	4 PCS PER SET		
· •	SDH-SPC-06FIX	6mm (¹⁵ / ₆₄ ") Spacer for Fixed Mount Plates . Stainless Steel Material	US32D	4 PCS PER SET		
	SDH-SCWD-ACT	Wood Door Actuators for SDH Soft Close System. Sold in Pairs.	US32D	1 PAIR		
	SDH-SCGL-ACT	Glass Door Actuators for SDH Soft Close System. Sold in Pairs.	US32D	1 PAIR		
	SDH-FG-WD	Wood Door Floor Guide for SDH. Stainless Steel Material.	US32D	1 PC		
	SDH-FG-GL	Glass Door Floor Guide for SDH. Stainless Steel Material.	US32D	1 PC		



BUILDERS HARDWARE Effective | APR 2025

		NG DOOR HARDWARE ACCES		
ILLUSTRATION	DS-1012	Door Stop for SDH10, SDH11, SDH20, and SDH30. Sold in Pairs	US32D	1 PAIR
	DS-2100	Door Stop for SDH12 , SDH21 and SDH31. Sold in Pairs	US32D	1 PAIR
	DS-2200	Soft Action Roller Stop for SDH10, SDH11, SDH20 and SDH21. Sold in Pairs	US32D	1 PAIR
	DS-2300	Soft Action Roller Stop for SDH12 , SDH30 and SDH31 . Sold in Pairs	US32D	1 PAIR
	SDHRC	SDH Rail Connector for Interconnecting two rails together	US32D	1 PC
	SCS40 (44 - 88 LBS)	SDH Soft Close System for Replacement Only. Choose type by weight of door	US32D	1 PAIR
	SCS80 (88 -176 LBS)			
(x4) or	SR166A	6'6" Sliding Rod with Accessories, (4) Adjustable Mount with Spacers	US32D	1 SET
(x5)	SR182A	8'2" Sliding Rod with Accessories, (5) Adjustable Mount with Spacers	US32D	1 SET
	SR166F	6'6" Sliding Rod with Accessories, (4) Fixed Mount	US32D	1 SET
(x4) or (x5)	SR182F	8'2" Sliding Rod with Accessories, (5) Fixed Mount	US32D	1 SET
(x2) -	SCRAIL66	6'6" Rail with Accessories, Built in (2) SCS80 Soft Closer, (2) Actuators for Wood and Glass Doors, (4) Mounting Plates with screws	US32D	1 SET
(X2) — (X	SCRAIL80	8'2" Rail with Accessories, Built in (2) SCS80 Soft Closer, (2) Actuators for Wood and Glass Doors, (5) Mounting Plates with screws	US32D	1 SET



SLIDING DOOR HARDWARE ACCESSORIES FOR SDH AND BDH SERIES				
ILLUSTRATION	ITEM NO	DESCRIPTION	FINISH	UNIT
	FFP-28	Rectangular Mortised Door Handle for Wood Doors, Dimensions: 8" x 2 1/16", 7 3/32" CTC Door Thickness: 1 3/8" - 1 3/4"	US32D, BLACK	1 PC
	PULL-2815	Sliding Door Handle Pull for Wood Doors Door Handle Pull: 11 1/8" x 1" Rectangular Mortised Door Handle: 8" x 2 1/16" Door Thickness: 1 3/8" - 1 3/4", 7 3/32" CTC	US32D, BLACK	1 PC
PULL-15778-BTB PULL-2815	PULL-15778-BTB	Back to Back Door Pull Handle for Wood Doors Dimensions: 11 1/6" x 1", 7 1/6" CTC Door Thickness: 1 1/6" - 1 3/4"	US32D, BLACK, US10B	1 PC
SQP-012 PULL-60 FFP-250	FFP-250	Round Corner, Door Handle for Wood Doors, Dimensions: 8 ²¹ / ₃₂ " x 2 ³ / ₈ ", 7 ³ / ₃₂ " CTC Door Thickness: 1 ³ / ₈ " - 1 ³ / ₄ "	US32D, BLACK, US10B	1 PC
	PULL-60	Sliding Door Handle Pull for Wood Doors Door Handle Pull: 11 ¹³ / ₁₆ " x 1" Round Corner Surface Mounted Door Handle: 8 ²¹ / ₃₂ " x 2 %" Door Thickness: 1 ³ / ₈ " - 1 ³ / ₄ ", 7 ³ / ₃₂ " CTC	US32D, BLACK, US10B	1 PC
	SQP-012	Back to Back Square Pull Handle for Wood Doors, Dimensions: 12" x 2 ½" x 25/32", 11 7/32" CTC Door Thickness: 1 3/6" - 1 3/4"	US32D, BLACK	1 PC
FFP-200	FFP-200	2" x ¹³ / ₃₂ " Round Door Handle for Wood Doors ⁵ / ₁₆ " hole diameter thru door Door Thickness: 1 ³ / ₆ " - 1 ³ / ₄ "	US32D, BLACK	1 PC
FFP-214	FFP-214	2 ³ / ₁₆ " x ¹³ / ₃₂ " Round Door Handle for Wood Doors 5/8" hole diameter thru door Door Thickness: 1 3/8" - 1 ³ / ₄ "	US32D, BLACK	1 PC
FFP-215	FFP-215	2 ½" x $^{11}l_{32}$ " Round Door Handle for Wood Doors 1 $^{27}l_{32}$ " hole diameter thru door Door Thickness: 1 ½" - 1 ¾"	US32D, BLACK	1 PC



BUILDERS HARDWARE Effective | APR 2025

SLIDING DOOR HARD	WARE ACCESSO	DRIES FOR SDH AND BDH SER	IES	
ILLUSTRATION	ITEM NO	DESCRIPTION	FINISH	UNIT
SDH-FG-ADJ1 SDH-FG-ADJ8	SDH-FG-ADJ1	Adjustable Floor Guide for both pre-grooved and non-grooved wood doors. Front Arm: 1 ¾" x 1 ¾" Back Arm: 1 ½" x 1 1 ¾" Door Thickness: 1 ¾" - 1 ¾"	US32D, BLACK	1 PC
	SDH-FG-ADJ8	Adjustable Floor Guide Roller for non-grooved wood doors. $2''(H) \times 1^{9}/_{16}''(W) \times 4^{1}/_{8}''(L)$ Door Thickness: $^{13}/_{16}'' - 2^{3}/_{16}''$	US32D, BLACK	1 PC
	SDH-FG-94	Sliding Door Hardware Floor Guide for pre-grooved wood doors Dimensions: 1 ¾" (H) x 1" (W) x 2 ½" (L) Required Bottom Groove: 13/16" (H) x ¼" (W) Door Thickness: 1 ¾" - 1 ¾"	US32D, BLACK	1 PC
SDH-PLTD ® SDLFP	SDLFP	4 %" x 1 ¼" Flip Privacy Sliding Door Lock with Strike Plate and Emergency Key Door Thickness: 1 %" - 1 ¾"	US32D, BLACK	1 PC
	SDH-PLTD	2 ½" x 3 ³/16" Tear Drop Privacy Sliding Door Lock with Strike Plate Strike Plate: ²⁵ / ₃₂ " x 2 ¹⁵ / ₁₆ " Door Thickness: 1 ¾" - 1 ¾"	US32D, US19, US10B	1 PC
	SDLP-RND	Round Rose Privacy Sliding Door Lock, with adjustable backset and push button dust proof strike 1 ½" x 5%" thumbturn Door Thickness: 1 3%" - 1 34"	US32D, US10B	1 PC
	SDLP-RND-ADA	Round Rose Privacy Sliding Door Lock, with adjustable backset and push button dust proof strike 2 ½" x 5%" ADA thumbturn Door Thickness: 1 3%" - 1 34"	US32D, US10B	1 PC
	SDLP-SQ-ADA	Square Rose Privacy Sliding Door Lock, with adjustable backset and push button dust proof strike 2 %" x %" ADA thumbturn Door Thickness: 1 %" - 1 ¾"	US32D, US10B	1 PC