
SUMMIT Series

WITH PUSH BUTTON LOCKING MECHANISM AND AUTO RELEASE FEATURE, **ANSI STANDARD A156.2, GRADE 3**



ALL DESIGNS HAVE PUSH BUTTON **LOCKING MECHANISM & AUTO RELEASE** FOR IMMEDIATE EGRESS. PANIC EXIT STRUCTURE ON PRIVACY FUNCTION. KEYED ENTRY FOR AMBER DESIGN ONLY.

STOCK ITEM FINISH IN BOLD

NON-STOCK FINISHES AND DESIGNS AVAILABLE WITH FACTORY LEAD TIME AND SUBJECT TO MINIMUM ORDER

AMBER ---- SQUARE ROSE STANDARD (**Entrance function, with Push Button) Replacement to AMB (Square Rose)

FUNCTIO	ONS	ANSI	ITEM#	FINISHES		IISHES	PCS / MC
Entrance	*NH		**SQ-AMB-00		US26		
Privacy	*NH	F76	SQ-AMB-20	11045 1104	US.	US10B, US3, US26D,	20
Passage	*NH	F75	SQ-AMB-30	US15, US1	US26	US5, US15A	
Dummy	*NH		SQ-AMB-40				36

^{*} NH is for Non-Handed NOT AVAILABLE WITH UL LATCH (%)

AMBER ---- ROUND ROSE STANDARD (**Entrance function, with Push Button)

FUNCTIO	FUNCTIONS ANSI		ITEM#	FINISHES		PCS / MC
Entrance	*NH		**RD-AMB-00			
Privacy	*NH	F76	RD-AMB-20	11045 1104	US26, US10B, US3,	20
Passage	*NH	F75	RD-AMB-30	US15, US1	US26D, US5, US15A	
Dummy	*NH		RD-AMB-40			36

^{*} NH is for Non-Handed NOT AVAILABLE WITH UL LATCH (%)

▶ LEVERSET PACKAGING INCLUDES

- Kwikset rekeyable 5-pin cylinder
- ≥ 2 ¾" or 2 ¾" adjustable backset, size 1" x 2 ¼" round corner standard Square corner option and drive-in latchbolt also available on special factory order
- Round Corner Full Lip Strike: 1 3/4" x 2 1/4"
- 1" bore diameter for latch, 2 1/4" diameter for lock housing


******* CONTINUED NEXT PAGE *******





SUMMIT Series

WITH PUSH BUTTON LOCKING MECHANISM AND AUTO RELEASE FEATURE. **ANSI STANDARD A156.2, GRADE 3**



ALL DESIGNS HAVE PUSH BUTTON **LOCKING MECHANISM & AUTO RELEASE** FOR IMMEDIATE EGRESS. PANIC EXIT STRUCTURE ON PRIVACY FUNCTION. KEYED ENTRY FOR AMBER DESIGN ONLY.

STOCK ITEM FINISH IN BOLD

NON-STOCK FINISHES AND DESIGNS AVAILABLE WITH FACTORY LEAD TIME AND SUBJECT TO MINIMUM ORDER

AMBER --- SQUARE ROSE STANDARD, with Turn Button (Entrance function) Available while supplies last

FUNCTION	ONS	ANSI	ITEM#	FINISHES					PCS / MC
Entrance	*NH		AMB-00	11645	US26		US1		
Privacy	*NH	F76	AMB-20	US15	US26	US10B	031	US3, US26D,	20
Passage	*NH	F75	AMB-30	US15	US26		1164	US5, US15A	
Dummy	*NH		AMB-40	US15	0326		US1		36

^{*} NH is for Non-Handed NOT AVAILABLE WITH UL LATCH (%)

AMBER --- ROUND ROSE STANDARD Available while supplies last

FUNCTION	ONS	ANSI	ITEM#	FINISHES					
Privacy	*NH	F76	AMB-20R	US15	US26		US1		
Passage	*NH	F75	AMB-30R	US15	US26	US10B	1164	US3, US26D, US5, US15A	
Dummy	*NH		AMB-40R	US15	0320		US1	333, 3316/1	36

^{*} NH is for Non-Handed NOT AVAILABLE WITH UL LATCH (%)

▶ LEVERSET PACKAGING INCLUDES

- Kwikset rekeyable 5-pin cylinder
- > 2 %" or 2 3/4" adjustable backset, size 1" x 2 1/4" round corner standard Square corner option and drive-in latchbolt also available on special factory order
- Round Corner Full Lip Strike: 1 ¾" x 2 ¼"
- 1" bore diameter for latch, 2 1/8" diameter for lock housing

******* CONTINUED NEXT PAGE *******






SUMMIT Series

WITH PUSH BUTTON LOCKING MECHANISM AND AUTO RELEASE FEATURE, ANSI STANDARD A156.2, GRADE 3

ALL DESIGNS HAVE PUSH BUTTON LOCKING MECHANISM & AUTO RELEASE FOR IMMEDIATE EGRESS, PANIC EXIT STRUCTURE ON PRIVACY FUNCTION. KEYED ENTRY FOR AMBER DESIGN ONLY.



STOCK ITEM FINISH IN BOLD

NON-STOCK FINISHES AND DESIGNS AVAILABLE WITH FACTORY LEAD TIME AND SUBJECT TO MINIMUM ORDER

ARGO ----- SQUARE ROSE STANDARD

FUNCTIO	ONS	ANSI	ITEM#	FINIS	FINISHES		
Privacy	*NH	F76	ARG-20	11045 11000	1104 1100 1100CD	20	
Passage	*NH	F75	ARG-30	US15, US26, US10B	US1, US3, US26D, US5, US15A	20	
Dummy	*NH		ARG-40		000, 0010A	36	

^{*} NH is for Non-Handed NOT AVAILABLE WITH UL LATCH ®

APEX ----- SQUARE ROSE STANDARD

FUNCTIO	ONS	ANSI	ITEM#	FINIS	FINISHES			
Privacy	*NH	F76	APX-20	11045 11000	1104 1102 11000D	20		
Passage	*NH	F75	APX-30	US15, US26, US10B	US1, US3, US26D, US5, US15A	20		
Dummy	*NH		APX-40	00100	000, 0010A	36		

^{*} NH is for Non-Handed NOT AVAILABLE WITH UL LATCH (%)

APEX ----- ROUND ROSE STANDARD

FUNCTIO	ONS	ANSI	ITEM#	FINIS	FINISHES		
Privacy	*NH	F76	APX-20R	11045 11000	1104 1100 1100CD	20	
Passage	*NH	F75	APX-30R	US15, US26, US10B	US1, US3, US26D, US5, US15A	20	
Dummy	*NH		APX-40R		033, 0313A	36	

^{*} NH is for Non-Handed NOT AVAILABLE WITH UL LATCH

▶ LEVERSET PACKAGING INCLUDES

- ➤ Kwikset rekeyable 5-pin cylinder
- 2 ¾" or 2 ¾" adjustable backset, size 1" x 2 ¼" round corner standard Square corner option and drive-in latchbolt also available on special factory order
- ➤ Round Corner Full Lip Strike: 1 ¾" x 2 ¼"
- > 1" bore diameter for latch, 2 1/8" diameter for lock housing

