


CR441 Series

ANSI A156.4, **GRADE 1** ADA / Barrier Free Adjustable Door Closer with Full Cover



MEETS
The Buy American Act
(SPECIFY MADE IN KOREA WHEN ORDERING)

LIFETIME
WARRANTY

| ILLUSTRATION | ITEM # | DESCRIPTION | CASES | | | PCS / MC | UNIT | |
|--|-----------------------------|--|---|---------|----------|----------|------|------|
|  | CR441 | Barrier free, Adjustable size 1-6 door weights 30-260 lbs (Full Cover) with Back Check | ALUM / DURO / GOLD | | | 4 | Each | |
| | | | 1 CASE | 5 CASES | 10 CASES | | | |
| | CR441DA | Barrier free, Adjustable size 1-6 door weights 30-260 lbs with Delay Action (Full Cover) No Back Check | BLACK | | | | | |
| | | | 1 CASE | 5 CASES | 10 CASES | | | |
| | CR441DABC | Barrier free, Adjustable size 1-6 door weights 30-260 lbs (Full Cover) with Delay Action & Back Check | ALUM / DURO / GOLD | | | | | |
| | | | 1 CASE | 5 CASES | 10 CASES | | | |
| | KCR441 NEW ITEM | Barrier free, Adjustable size 1-6 door weights 30-260 lbs (Full Cover) with Back Check <i>*Made in Korea</i> | BLACK | | | | | |
| | | | 1 CASE | 5 CASES | 10 CASES | | | |
| | KCR441DA NEW ITEM | Barrier free, Adjustable size 1-6 door weights 30-260 lbs with Delay Action (Full Cover) No Back Check <i>*Made in Korea</i> | Specify "MADE IN KOREA" when ordering "THE BUY AMERICAN ACT" compliant models | ALUM | | | 4 | Each |
| | | | ALUM | 1 CASE | 5 CASES | 10 CASES | | |
| | | | ALUM | 1 CASE | 5 CASES | 10 CASES | | |

PLATED AND PAINTED FINISHES

| | |
|-----------------------|--|
| PLATED FINISHES | US3, US26, US26D, US10B, US5, US4, US15, US10 In stock (Includes: Metal cover, full arm, screws and parallel bracket.) |
| STAINLESS STEEL COVER | Full Stainless Steel Cover. Suffix 32D / 15 after PART# |
| PAINTED | Special colors (Allow 6-8 weeks delivery) |

► PACKAGING INCLUDES





- Parallel bracket
- Wood screws and **self-tapping machine screws**
- Full cover
- Sex bolts

► STOCK FINISHES

- Aluminum
- Duranodic
- Gold
- Black (L1)
- US3, US26, US26D, US10B
- US32D – Cover Only

CR271PC Series

**ANSI A156.4, GRADE 1, CR441 EXTRA POWERFUL
HYDRAULIC DOOR CLOSER SERIES, NON-HANDED,
POCKET DOOR CLOSER APPLICATION**



For 180 DEGREES opening in a
Pocket Door **ONLY** Application
 NOT FOR USE with conventional
hinges or latching hardware


| ITEM # | DESCRIPTION | CASES | | | PCS / MC | UNIT |
|-----------------------------------|--|--------|---------|----------|----------|------|
| | | ALUM | | | | |
| CR271PC NEW ITEM | CR441 Series, Heavy Duty Pocket Door Closer Application , with higher tensioned steel spring combined with high performance hydraulic fluid. (Full Cover) | 1 CASE | 5 CASES | 10 CASES | 4 | Each |

►PACKAGING INCLUDES

- Heavy Duty Double Lever Forged Steel Arm (1" longer than CR441 arm)
- Parallel bracket
- Wood screws and **self-tapping machine screws**
- Full cover
- Sex bolts

CR441EHO Series

**ANSI A156.4, GRADE 1, CR441 SERIES DOOR CLOSER
WITH ELECTRONIC HOLD-OPEN**



| ILLUSTRATION | ITEM # | DESCRIPTION | CASES | | | PCS / MC | UNIT |
|--------------|----------|--|--------------------|--|--|----------|------|
| | CR441EHO | Adjustable 1-6 Door Body with Electronic Hold-Open Track | ALUM / DURO / GOLD | | | 4 | Each |

► PACKAGING INCLUDES

- Wood screws and **self-tapping machine screws**
- Full cover
- Sex bolts









► PARTS & ACCESSORIES FOR CR441 SERIES

| ILLUSTRATION | ITEM # | DESCRIPTION | UNIT |
|--------------|--------------|---|------|
| | CR3077SPAS | Super rigid parallel arm stopper, non-handed with stop in soffit shoe. Equivalent to LCN CUSH-N-STOP (CUSH) ARM | |
| | CR3049HOSRPS | Super rigid parallel arm stopper hold-open, non-handed with stop in soffit shoe. Handle controls hold open function. Equivalent to LCN HOLD-OPEN (H-CUSH) ARM | Each |
| | CR3077SPRING | Super rigid non-handed parallel arm with spring loaded stop in the soffit shoe. Equivalent to LCN SPRING CUSH ARM | |
| | 3049HOSPRING | Super rigid parallel arm stopper hold-open, non-handed with spring loaded stop in soffit shoe. Handle controls hold-open function. Equivalent to LCN SPRING H-CUSH ARM | |

► PARTS & ACCESSORIES FOR CR441 SERIES

| ILLUSTRATION | ITEM # | DESCRIPTION | UNIT |
|--------------------------|---------------------|---|------|
| | CR3049HO | Non-handed hold-open arm with parallel bracket. Equivalent to LCN 3049 | |
| | CR3049HO L1 (BLACK) | | |
| | CR3077HDAR | Non-handed parallel arm features forged, solid steel main and forearm for potentially abusive installations. Equivalent to LCN 3077 EDA | |
| | CR441EXT | Extended long arm (3" extension) for top jamb with reveals. | Each |
| | TRACK441 | Hold open track arm for CR441 Door Closer | |
| | CR441ARM | Door closer arm (Main and regular forearm) | |
| OTHER ACCESSORIES | | | |
| | CONCR441KIT | CR441 tandem connector sleeve nut, mounting plate and master cover | |
| | CR441 / TNDM | 1 each CONCR441 KIT 2 each of CR441 door closers | Each |

►PARTS & ACCESSORIES FOR CR441 SERIES

| ILLUSTRATION | ITEM # | DESCRIPTION | UNIT |
|---|---------------------------|--|------|
| OTHER ACCESSORIES | | | |
|  | CR18PA | Drop plate for parallel arm mounting top rail is less than 5 1/2" measured from stop. Plate requires 2" minimum top rail. | |
|  | CR18 | Drop plate used where top rail is less than 3 3/4" | |
|  | CR18TJ | Drop plate for top jamb where face is less than 3 1/2" | |
|  | CR18G | Drop plate for top jamb mounted closer flush with top of head frame face in flush ceiling condition. Plate requires 1 3/4" minimum head frame. | |
|  | CR441PA | Parallel Arm Bracket | |
|  | 970 | Sex bolts, female part only 1/4" - 20 (set of 4) | |
|  | 970138 | Sex bolts for 1 3/8" doors, female part only 1/4" - 20 (set of 4) | Each |
|  | CR441COV | Plastic Cover Only | |
|  | CR441COV PLATED FINISH | Plastic Cover only US3 | |
|  | CR441COV US32D | Stainless Steel Cover Only | |
|  | CR441COVMET28 | Steel Cover (Aluminum Only) | |
|  | CRWRENCH | Variable-sized hexagonal wrench for CR3049HO Arm | |
|  | BLASS-30 | Blade Stop Spacer Lower parallel arm shoe to clear 1/2" (13 mm) blade stop | |
|  | CUSSS-61 | CUSH Shoe Support Provide anchorage for fifth screw used with CUSH arms where reveal is less than 3-1/16" (78 mm) | |